



INTERNAL CORRESPONDENCE

NUCLEAR DIVISION

POST OFFICE BOX Y, OAK RIDGE, TENNESSEE 37830

To (Name)

Mr. G. B. Marrow

Date

July 7, 1972

Division

Location

Originating Dept.

Answering letter date

Copy to

Listed Distribution

Subject

Environmental Nitrate Sampling Program

The results of the June nitrate sampling program for Poplar Creek sampled near Building 9720-5 storm sewer outfall, and upper Bear Creek Valley 0.3 mile below the S-3 disposal ponds are presented in the attached Tables 1 and II. A few soluble uranium analyses for Bear Creek and Poplar Creek are also included. It appears from the data that the uranium content is closely related to the nitrate concentration in Bear Creek, both ions fluctuating in response to dry periods and rainfall. Some buildup of contaminants in the ground water was apparent during dry periods. This accumulation was usually flushed at the first heavy rain resulting in increased mass flow of nitrates in both creeks.

A summary by months of the total nitrates at the two sampling locations is presented in Table III. S-3 acid disposal pond water elevations from July, 1971 to July, 1972 are given in Table IV. On an annual basis the water levels in the four ponds have remained at about the same elevations, indicating a hydraulic balance between receipts of acidic effluents and rainfall versus losses by evaporation and seepage. Acidic effluents pumped to the S-3 disposal ponds are currently running about one-third higher than the volume pumped in previous years. Maintenance of the present hydraulic balance will, therefore, probably result in an increase of the contaminants being discharged to the environment.

Ground water samples were obtained on June 16, 1972 from four, 10-foot deep wells located 100 to 1,000 feet in an easterly direction from the S-3 disposal ponds and inside the Y-12 west perimeter fence. Each well was pumped dry on the previous day to insure a fresh flow of ground water into the well. Ground water elevations in wells 2, 3 and 5, Table V, appear to be lower due to a storm drainage system that intersects the area. It is evident that most of the nitrate contaminated ground water was also intercepted by the storm drainage system, since low nitrate values were found in wells 3 and 5, located on the low side of the storm drain. Previous nitrate analyses for the same wells on July 14, 1971 and August 30. 1971 are compared with current analyses, Table VI.



Streams in the vicinity of the S-3 ponds and upper Bear Creek were sampled on June 26, 1972 after 36 days of relatively low rainfall (1.96 inches). The maximum nitrate and uranium concentrations were found at the weir station, established approximately 0.3-mile west of the S-3 acid ponds, where the nitrate was 13,837 µg/ml and soluble uranium 43.5 µg/g, Table VII. Although these analyses were high, the volume of water flowing was low and ultimately dilution water contributed from side streams containing lesser amounts of nitrate and uranium had a cumulative effect in lowering the overall contamination levels. This dilution also raised the pH to a level high enough to precipitate most of the aluminum and uranium ions, Table VII. These precipitates are carried downstream during high water, eventually accumulating with other sediments in lower Bear Creek and, possibly, in the Watts Bar embayment.

Both the north and the west branches of upper Bear Creek contribute nitrates at elevations below the 970-foot contour line. This is due to a number of shallow aquifers which are contaminated by seepage water from the S-3 ponds. Their flow tends to keep the ground water and the branches to the west of the S-3 ponds charged with varying amounts of nitrates. Upper Bear Creek water leaving the area at approximately 0.8-mile west of the S-3 ponds contained 800 to 1,950 µg/ml nitrates depending on flow conditions. Bear Creek then flows on a course parallel and within 100 feet of the Y-12 sanitary landfill excavation. The bottom of the landfill pit is 9.2 feet lower than the creek bed. Seepage of nitrates into the landfill pit was not apparent after several analyses, indicating that the shale and soil porosity in the dyke is low. The landfill entrance gate is approximately 1.2 miles west of the S-3 ponds.

Proceeding downstream from the landfill site, approximately 0.3-mile, an outcrop of the shale formation in Bear Creek exhibits a somewhat fractured condition. In this general area the creek flow disappeared underground and the creek bed remained dry for a distance of approximately 0.2-mile, where the flow again resumed due to contributions from spring number 2. It appears that some of the lost flow from Bear Creek may be reappearing at downstream springs numbers 2, 3 and 4. Considerable dilution is indicated, however, by the analyses, Table VII. This fortunate circumstance minimizes the downstream nitrate content, particularly during dry weather when upper Bear Creek is at its maximum concentrations. There appears to be a built-in underground storage capacity that operates to hold back nitrates when they are at a maximum and the stream flow is at a minimum, but functions to release stored nitrates during increased creek and ground water activity.

The first phase of a forest fertilization experiment being conducted in cooperation with the ORNL Ecology Division was completed on June 27, 1972 following irrigation of 12 plots of hardwood forest land located on a ridge on the north side of Bear Creek Road. Initial spreading rates were 88 to 266 pounds of nitrates per acre. The source of the nitrate was raw water collected in upper Bear Creek

-3-

July 7, 1972

at the weir site which contained 12,500 µg/g nitrate and 37 µg/g uranium. Lime hydrate was an effective precipitant and coagulant for the uranium and aluminum, producing a relatively pure calcium nitrate solution for the fertilization experiment. Further applications will be added until spreading rates of 200, 500 and 800 pounds per acre are attained.

Mr. Frank W. Harris of the Environmental Sciences Division, ORNL, has completed the initial phase of the sampling program for use in evaluating the effect of nitrate spreading on the forest ecosystems. This work includes periodic collection of soil, water and foliage samples which will be analyzed and compared to determine the bioaccumulation of significant elements and an evaluation of the forest landscape to absorb neutralized effluent materials.

H. C. Francke

HCF:wj

Attachments (7)

Distribution

- J. R. Barkman/D. Zucker
- L. E. Burkhart/W. C. Dietrich
- W. H. Dodson
- D. A. Jennings
- R. G. Jordan
- E. G. Laggis
- F. Lambdin
- R. W. Morrow
- J. A. Parsons
- M. Sanders
- J. M. Schreyer/C. R. Schmitt
- I. G. Speas/P. E. Stein
- J. W. Strohecker/W. U. Pokela
- R. D. Williams
- W. J. Yaggi/J. M. Googin

File

TABLE I

POPIAR CREEK NITRATES - AT STORM SEWER OUTFALL NEAR 9720-5

June 1972	Y-12 Rainfall (Inches)	pH At Outfall	Flow (gpm)	(10 ⁶ Flow lbs/day)	Nitrates (µg/ml)	Nitrates (1bs/day)	Uranium (pg/g)
1	-	6.7	700	8.4	. 52	437	0.01
2	-	6.5	620	7.4	89	659	-
3	-	6.5	620	7.4	51	377	-
4	-	6.7	660	7•9	51	403	-
5	•	7.6	660	7.9	52	411	-
6	0.32	7.8	800	9.6	41	394	-
7	•	6.7	860	10.3	14/4	453	0.02
8	-	6.7	860	10.3	39	402	-
9	0.18	6.9	800	9.6	43	413	. 🕳 :
10	0.11	7.3	700	8.4	5 5	462	-
11	-	7.6	585	7.0	57	399	0.02
12	-	7•3	585	7.0	54	378	-
13	-	7.8	620	7.4	63	466	-
14	-	7•5	585	7.0	53	371	-
15	-	7.0	585	7.0	55	385	-
16	0.21	7.6	860	10.3	88	906	-
17	0.15	7.1	1,060	12.7	59	7 49	-
18	0.24	7.0	700	8.4	59	496	-
19	-	7.8	620	7.4	56	414	-
20	0.51	7.1	1,060	12.7	113	1,435	-
21		7.2	860	10.3	53	546	•
22	.	7.1	700	8.4	55	462	-
23	-	7.0	700	8.4	47	3 95	. •
24	-	7.0	700	8.4	a 54	454	-
25	ara ·	7.2	700	8.4	45	378	-
2 6	••	7.2	700	8.4	45	378	
27	- 	7.4	700	8.4	52	437	-
_	2.28 ×	7.3 A	5,000	60.0	18	1,080	0.64
29	0.03	6.9	900	• 10.8	67	724	-
30	-	7•3	775	9•3	47	437	~
Total	s 4.03				• •	15,701	

TABLE II

BEAR CREEK NITRATES - 0.3 MILE WEST OF S-3 PONDS

June	Y-12 Rainfall (Inches)	pH At Weir	Depth (Inches)	Flow (gpm)	Nitrates (µg/ml)	Nitrates (lbs/day)	Uranium (µg/g)	Uranium (lbs/day)
1	•	3•7	1.3	5.0	7,292	438	-	-
2	· •	3.7	1.3	5.0	8,266	496	21.9	1.31
3		3.7	1.3	5.0	7,770	466	· •	
4	-	3.7	1.3	5.0	8,267	496	-	-
5	•	3•9	1.2	4.0	8,579	411	-	-
6	0.32	3•9	1.1	3.0	8,947	322	-	-
7	-	3.7	1.1	3.0	9,591	345	34.0	1.22
8	-	3.7	1.2	4.0	9,554	459	33.0	1.58
9	0.18	3•7	1.1	3.0	9,793	353	-	•
10	0.11	3.6	1.2	4.0	10,310	495		
11	_ .	3.6	1.0	2.6	10,816	337	-	-
12	-	3•7	1.0	2.6	11,092	346	·	•
13	_	3.8	0.9	2.0	11,687	280	40.9	0.98
14	·	3.9	0.9	2.0	11,885	285	-	-
15	-	3.5	0.8	1.6	12,115	233	•	-
16	0.21	3.9	1.0	2.6	13,448	420	45.2	1.41
17	0.15	3•5	1.1	3.0	12,943	466		-
18	0.24	3•5	c.8	1.6	11,969	230	46.3	0.89
19	_	4.0	0.8	1.6	13,356	25 6	-	•.
20	0.51	4.0	1.3	5.0	10,008	601	40.0	2.40
21	-	3.9	0.8	1.6	12,000	230	44.3	-
22	•	4.4	0.8	1.6	12,460	239	27.8	0.53
23	-	3•7	0.8	1.6	13,808	265		-
24		3.7	0.6	0.8	13,807	133	37.5	0.36
25	=	3.6	0.6	0.8	14,144	136	43.5	0.42
26	-	3.7	0.5	0.4	13,837	66	-	-
27	~ ·	3.6	0.5	0.4	14,757	71	44.9	0.22
28	2.28	3.7	2.0	12.0	5,126	738	18.0	0.26
29	0 <u>∗</u> 03	5.6	6.0	196.0	612	1,471	-	-
30	•	4.0	3.6	. 54.0	2,331	1,510		
Totals	4.03					12,534		

TABLE III

TOTAL NITRATES BY MONTHS IN BEAR CREEK AND POPLAR CREEK

		Total Lbs	. No ₃
Month	Rainfall	Poplar Creek	Bear Creek
July	8.76	11,000 (Est.)	13,257
August	2.36	10,517	18,672
September	2.84	9,189	4,166
October	2.01	11,113	4,687
November	1.94	14,694	5,363
December	6.12	11,460	19,053
January	7.15	16,909	29,120
February	4.77	14,379	31,432
March	6.02	18,456	36,272
April	2.99	15,284	30,964
May	5.15	14,984	22,947
June	4.03	15,701	12,534

TABLE IV
S-3 DISPOSAL POND SOLUTION ELEVATIONS BY MONTHS

		Pond (Elev	ration-Feet)	· · · · · · · · · · · · · · · · · · ·
Date	NE	SE	NW	sw
July 21, 1971	1013.8	1011.7	. 1013.3	1011.2
August 12, 1971	1014.0	1011.9	1013.7	1011.5
September 3, 1971	1013.6	1011.4	1012.7	1011.0
October 12, 1971	1013.8	1011.3	1012.2	1010.5
November 9, 1971	1013.8	1011.1	1012.0	1010.2
December 14, 1971	1013.8	1011.0	1012.6	1010.3
January 7, 1972	1013.9	1011.5	1013.6	1010.8
February 10, 1972	1013.8	1011.7	1013.8	1011.2
March 8, 1972	1014.4	1012.0	1014.2	1011.7
April 4, 1972	1014.4	1012.0	1014.2	1012.0
May 2, 1972	1013.8	1012.0	1013.8	1012.0
June 5, 1972	1013.7	1011.7	1013.7	1012.2
July 5, 1972	1013.9	1011.4	1013.5	1011.7

TABLE V

NITRATE AND URANIUM ANALYSES - GROUND WATER IN

WEST END OF Y-12 PLANT

Well No. (1)	Distance S-3 Ponds (ft.)	Depth To Water (inches)	pН	Nitrate (µg/ml)	Uranium (µg/ml)
1	150 East	. 32	6.69	806	< 0.01
2	250 Southeast	Dry	-	•	-
3	400 East	72	7.69	3	0.03
14	350 East	21	6.82	25	0.30
. 5	1,000 East	47	7•37	1.5	0.05

⁽¹⁾ Sampled June 16, 1972 following 25 days with only 0.84 inches cumulative rainfall. Wells were pumped dry the previous day. All are located inside Y-12 perimeter fence.

TABLE VI

NITRATE CONTENT OF GROUND WATER

IN WEST END OF Y-12 PLANT

. AT DIFFERENT SAMPLING DATES

Well No.	July 14 1971	August 30 1971	June 16 1972
1	408	357	806
2	303	Dry	Dry
3	2	< 0.4	3
14	60	< 0.4	25•
5	1	< 0.4	1.5

OFFICIAL USE CHLY

NITRATE AND URANIUM ANALYSES - IN UPPER BEAR CREEK AREA

TABLE VII

Location of Sample (1)	Distance To S-3 Ponds (~ mi.)	рН	NO3 (hg/mj)	u (µg/g)
Bear Creek, At Weir Station	0.3	3.70	13,837	43.5
Bear Creek, Spring "0"	0.7	6.71	160	0.06
Bear Creek Road, Wye Culvert .	0.75	4.39	1885	3.0
Bear Creek, West Branch Near Culvert	0.7	7•75	1060	< 0.01
Bear Creek, West Branch ~ 400' To Road	0.6	7.41	263	< 0.01
Bear Creek, West Branch ~ 600' To Road	0.65	7.41	1.2	< 0.01
Bear Creek, West Branch TVA - ROW	0.7	7•35	1.4	< 0.01
Bear Creek, North Branch, Culvert	0.3	7.60	1.7	< 0.01
Landfill Excavation, Pit Water	1.1	6.39	1.6	. 0.06
Bear Creek, Landfill Entrance	1.2	6.80	786	0.22
Bear Creek, Fractured Shale Formation	1.5	DRY CRE	EEK BED	•
Bear Creek, Spring No. 2	1.7	7.2	135	0.16
Bear Creek, West Gate Burial Ground	2.0	7.30	156	0.34
Bear Creek, Main Stream Below Bridge	2.4	7.84	103	0.19

⁽¹⁾ All samples were collected on 6-26-72 following a 36-day period with a cumulative rainfall of 1.96 inches.

OAK RIDGE Y-12 PLANT INFORMATIO	ON CONTROL FORM
DOCUMENT DESCRIPTION (Completed By	Requesting Division)
	Cct. No. Date of Request
MS/ChR-503528/K-25 4-84.75	
Unclassified Title: ENVIRONMENTAL NETTALE	e Sampling trogram
	, ,
Author(s)	
TYPE: Formal Report Informal Report Progress/Status Repo	rt Co-Op Report Thesis/Term Paper
Oral Presentation (identify meeting, sponsor, location, date):	Specification of the control of the
Journal Article (Identify Journal):	
Other (Specify):	
Document will be published in proceedings No Yes	
Document will be distributed at meeting No Yes	
Document has been previously released No Yes (Reference)	
DIVISION REVIEW AND APPROVAL (Complete	d By Requesting Division)
	CUMENT REQUEST APPROVED (Division or Department)
Title(s): UMCIOSSIFILA Abstract:	
DOCUMENT: Level McClassified Category NA	Signature Date
Saxa N. Wolch 1/29/93 _	
Signature Date	Signature Date
THE REMAINDER OF THIS FORM TO BE COMPLETED BY T	HE TECHNICAL INFORMATION OFFICE
DISTRIBUTION	
The trial black but the tr	tribution: UCN-7721B DOE F-1332.15 Document 12 Central Files Y-12 RC Y-12 RC Y-12 RC
_ CACCITION DISCINOCION	O File
ANNOUNCED IN: ERA Atomindex (Available from NTIS)	izanne Sandberg
M-3679 Category	
ANNOUNCE IN: AWDR (Available from 9STI) ANCR -	
Charles Public Release	
Distribution Remarks: (I) (I) () () () ()	
APPROVAL AND RELEA	SE
Date Received 1-29-93 Date Initiated 1-29-93	
Editor	7.// Date/
CLASSIFICATIONS:	Ch/200 1/29/93
Title(s): Abstract Pajent (Office Date
Title 137.	
DOCUMENT:	
	Date
DOCUMENT: Level Category Other Weapons Data Sigma	
DOCUMENT: Level Category Other Weapons Data Sigma Other	Date Date
DOCUMENT: Level Category Other Weapons Data Sigma	
DOCUMENT: Level Category Other Weapons Data Sigma Other	
DOCUMENT: Level Category Other Weapons Data Sigma Other Y-12 Classification Office Date	
DOCUMENT: Level Category Other Weapons Data Sigma Other Y-12 Classification Office Date APPROVED FOR: Declassification Release subject to use of the following the process of the following	Date
DOCUMENT: Level Category Other Weapons Data Sigma Other Y-12 Classification Office Date	Date

ChemRisk Docu	ment Request	Transmittal	Form
This section to be completed by Cher			

S. Sandberg	, CEP	
Name	Division	is requested to provide the following document
Address		
Date of Request_1/11/93	Expected re	eceipt of document 1/29/93
Title of requested document 2	inviconment	tal Nitrate Sumpling Pragram
		- 102517
Document Number 8 6 352	<u>8; S03</u> 526?	503524; S03522; S03517 Date of Document Guly-Nov. 1972
Access Number of Document_	<i>y</i>	_ Date of Document July-Nov. 1972
		V .
(This section to be completed Derivative Classifier Sweet	by Derivative Clas	Phone 4-7864
Date document transmitted to	Dr. Quist	
Date release received from Dr	. Quist	
PUBLIC RELEASE STAMP	attached to each	copy of document (YES NO)
Date document sent to reprod	uction	Expected Return
Delivered to DRC by		D .4-
(This section to be completed	by DRC)	
Received by DRC	Date	
Processed		
Mailed		·

OAK RIDGE K-25 SITE DOCUMENT RELEASE FORM

Person requesting release	طہ	Telephone No.	(510)748-5643
Mailing Address			ChamRisk
Date by which release is required	1/29/93 ocuments require special revie	(Standard processing time will be lor	cessing time is 5 working days.
Note: Two copies of the document must one copy of photos and videotape	generally be provided to the C es is required. Documents that	Classification and Information Control include photos must be accompanied	Office with this request. Only by "originals" of the photos.
Approval of request for Classification and Signature:	Information Control Office to re	elease document (department head o	r nigher):
	MENT DESCRIPTION (to be co		
Document title S03528; S0	03526,503524 ntal Nitrate	S03522 S03517ages _ Sampling frozran	γ
Author(s) (indicate other divisions or orga	inizations, if applicable)	ranke, H.C.	
Document type (See Doc. Prep. Guide, C Formal Report Progress F Administrative Correspon Journal Article (identify journal):	Report Informal R&I	D Report	☐ Drawing ☐ Other Visuals
Oral Presentation (identify meeting, s	sponsor, location, date):		
Will oral presentation be published in Will copies of the oral presentation but Other (specify):	be distributed before.	after.	Not Known No distribution will be made.
Purpose of release			
Previously cleared documents containing	g similar information		
is copyrighted material contained in this Remarks			
CL	ASSIFICATION INFORMATION	N (to be obtained by requester)	
Was the work reported in this document			tta Energy Systems, Inc.?
☐ No ☐ Yes (Name of program			Francis Sustanto Inc. 2
is the subject area of this document clos			
☐ No ☐ Yes		artment of Energy?	S
Name or Description of applicab	ie program(s)		
Additional remarks			
This document contains no classified in Derivative Classifier signature	ntormation.	Ch Date 1/	127/93

UCN-87 (1 7-91)

DIS	TRIBUTION LIN	MITATIONS (If anv) (completed by requester)	
D Unrestricted, unlimited				
Distribution may be limited because this	s document con	ntains information that	is:	
☐ Unclassified Controlled Nuclear Info ☐ Naval Nuclear Propulsion Information	ormation *	Applied Techno		Export Controlled *Proprietary
Sensitive Nuclear Technology *	•		Innovation Research *	Official Use Only
☐ Safeguards Information *		Cooperative R&		☐ Other
Saleguards amountainess		* Generally	identified by sponsor	
Barrary (a)			· ·	
Remarks:				
	PATENT IN	FORMATION (compl	eted by requester)	
Does this document disclose any new			☐ Yes ☐ No	
If yes, list the patent significance and i	identify page nul	mper(s) and line num	ber(s) in the space immediate	iv following
(or attach separate pages).				
PATENT SECTION ACTION (com	npleted by Pate	ent Section upon req	est by the Classification an	d Information Control Office)
				E Patent Group before release
Document may be released for put			nd may not be released at this	
			,	
Remarks				
Patent Section Representative			Date	
Talent decilor representative				
CLASSIFICATION AND INFORMA	TION CONTRO	L OFFICE ACTION (ompleted by Classification :	and Information Control Office)
				with changes (see below)
A ship Token	proved for releas		Approved for release	With Changes (ods 200)
Approve	ed for release wi	ithout change		
Classification Officer signature			Date	
			_	· · · · · · · · · · · · · · · · · · ·
Technical Information Not ap	oproved for relea	ase (see below)	Approved for release	with changes (see below)
☐ Appro	ved for release	without change		
Technical Information Officer Signatu	ure		Date	
Send to OSTI? Yes	No		ategory Distribution:	

503526 1972 AUG 11 PM 1 50



INTERNAL CORRESPONDENCE

NUCLEAR DIVISION

POST OFFICE BOX Y, OAK RIDGE, TENNESSEE 37830

To (Name) Division

Location

Mr. J. M. Napier

Date

August 8, 1972

Originating Dept.

Answering letter date

Copy to

Listed Distribution


Subject

Environmental Nitrate Sampling Program

The results of the July nitrate sampling program for Poplar Creek sampled near Building 9720-5 storm sewer outfall, and upper Bear Creek Valley 0.3 mile below the S-3 disposal ponds are presented in the attached Tables I and II. Soluble uranium analyses for Bear Creek and Poplar Creek are included.

A summary by months of the total nitrates at the two sampling locations is presented in Table III. S-3 acid disposal pond water elevations from August, 1971 to August, 1972 are given in Table IV.

Analytical results on a series of samples from upper Bear Creek and two of its tributary streams are reported in Table V. The first six samples were collected after 2.31 inches of rainfall occurring within a 24-hour period. They indicate a significant dilution effect from rainwater runoff. Surface waters from the upper reaches of the North and West Branches of Bear Creek, Table VI, and other side streams were sufficient to dilute the maximum nitrate concentration found from 14,700 to less than 1,000 µg/ml, and to raise the pH from 3.6 to 6.8 by the time the mixed waters in Bear Creek had moved to the sanitary landfill area. When dry weather resumed, the runoff diminished, and again the pH dropped and the nitrate concentration rose as shown by the July 3, 1972 analyses. An excavated pool, immediately downstream of the weir station, 0.3-mile due west of the S-3 ponds, serves to reduce the flow of high nitrate solutions during periods of dry weather. Evaporation and seepage from this pool appear to be sufficient to reduce any overflow out of the pool except when high input flows prevail in rainy weather. When heavy rainfall occurs, the nitrate rich impounded water in the pool is displaced by nitrate free surface waters which flush out the pool and dispose of the high nitrate at much lower concentrations. If a sufficiently large lake or pond could be created



Mr. J. M. Napier

-2-

downstream of all the nitrate contributing streams, it appears that much of the impounded water in dry weather could be evaporated or forced into ground water aquifers where neutralization and precipitation would naturally occur. The impoundment would have to be large enough to provide watershed storage of sufficient capacity to hold a backlog of at least one-inch of rainfall before overflowing.

A sample taken on July 24th, Table V, following four days of dry weather, Table II, indicates that Bear Creek water as far as the west burial ground gate contained more than 1,000 µg/ml nitrate and had a pH of 5.3. On July 26th, after 1.38 inches of rainfall on July 25th, the nitrate at this location had dropped to 650 µg/ml with a pH of 6.3. Further downstream dilution from spring number 3 serves to bring the pH up to 8.0, also removing all but traces of soluble uranium.

The sample taken at the outlet of the North Branch of Bear Creek on July 27th is indicative of the nitrate contribution from surfacing aquifers along this stream bed from the time it flows through the Bear Creek Road culvert. At the culvert the water content is usually 1 to 4 µg/ml. On the date completed, the North Branch discharge into Bear Creek reached a concentration of 5,379 µg/ml which was comparable to the main stream of Bear Creek at the weir analyzing 8,780 µg/ml. North Branch nitrates appear to discharge from deep aquifers because the water is above pH 7.0 and free of uranium. The flow is slightly higher than that of the main stream of Bear Creek at this point and, therefore, contributes significant nitrates to the main stream.

The effect of high nitrates (8,780 µg/g) in upper Bear Creek and the low pH of 4.0 is felt downstream well past the sanitary landfill area as indicated by the west culvert and east landfill entrance samples taken July 27th, Table V. There is, however, a significant reduction in the uranium and nitrate concentration from 22.8 and 8,780 µg/g at the weir, Table II, to 3.4 and 1,870 µg/g at the landfill site, respectively. This is a distance of approximately 0.5-mile.

The second phase of the forest fertilization experiment being conducted in cooperation with the ORNL Ecology Division was completed on July 21, 1972 following irrigation of 12 plots of hardwood forest land located on a ridge on the north side of Bear Creek Road. Cumulative spreading rates are 172 to 516 pounds of nitrates per acre. The source of the nitrate was raw water collected in upper Bear Creek at the weir site which contained 11,500 µg/g nitrate and 35 µg/g uranium. Lime hydrate was an effective precipitant and coagulant for removal of the uranium and aluminum, producing a relatively pure calcium nitrate solution for the fertilization experiment. Further applications will be added until cumulative spreading rates of 200, 500 and 800 pounds per acre are attained.

Mr. Frank W. Harris of the Environmental Sciences Division, ORNL, is conducting a sampling program for use in evaluating the effect of nitrates on the forest ecosystems. This work includes collection of soil, water and foliage samples which are being analyzed to determine the bioaccumulation of significant elements and an evaluation of the forest landscape to absorb neutralized effluent materials.

H. C. Francke

HCF:wj

Attachments (6)

Distribution

J. R. Barkman/D. Zucker

L. E. Burkhart/W. C. Dietrich

W. H. Dodson

D. A. Jennings

R. G. Jordan

G. B. Marrow/E. G. Laggis

R. W. Morrow

J. A. Parsons

M. Sanders

J. M. Schreyer/C. R. Schmitt

I. G. Speas/P. E. Stein

J. W. Strohecker/W. U. Pokela

R. D. Williams

W. J. Yaggi/J. M. Googin

File

POPIAR CREEK NITRATES - AT STORM SEWER OUTFALL NEAR 9720-5

TABLE I

July 1972	Y-12 Rainfall (Inches)	pH At Outfall	Flow (gpm)	(10 ⁶ Flow lbs/day)	Nitrates (µg/g)	Nitrates (lbs/day)	Uranium (µg/g)	Uraniu (lbs/da
1	_	7•3	585	7.0	52	364	0.02	0.14
2	0.02	7•3	6 60	7•9	41	324		
3	· •	7.4	660	7•9	45	356	ī	
4	0.69	7.4	700	8.4	38	319		
5	-	7.3	740	8.9	62	552		
6	. =	7.0	700	8.4	59	496	0.02	0.16
7		7.1	585	7.0	53	371		
8	- ,	7.2	660	7•9	1111	348		
9	• • • • • • • • • • • • • • • • • • •	6.9	660	7•9	50	395	•	
10	-	7.0	700	8.4	50	420		
11	-	7.0	700	8.4	45	378		
12	-	7.1	700	8.4	47	395		
13	-	7.2	660	7•9	48	379		
14	0.03	7.1	660	7•9	48	379		
15		7.0	585	7.0	52	364	0.02	0.14
16	-	7.1	585	7.0	52	364		
. 17	0.26	6.9	585	7.0	52	364	0.01	0.07
18		7.1	585	7.0	72	504		
19	0.26	7.2	585	7.0	61	427		
20	• • • • •	7.2	660	7.9	70	553		
21	-	7•3	660	7•9	53	419		•
22	-	7.2	620	7.4	53	392		
23	-	7•3	- 540	6.5	59	384		
24	-	7.0	540	6.5	48	312		
25	1.38	7.2	540	6.5	49	319		
2 6	-	7.6	520	6.2	68	422		
27	0.92	7.6	485	5.8	53	307	0.01	0.06
28	0.37	7.2	860	10.3	74	762		
29	0.44	. 7.1	860	10.3	65	670		
30	0.17	7.0	660	7•9	68	537		
31	0.18	7.0	700	8.4	68	<u>571</u>		
	AL/Mo. 4.72	•				13,147		

OFFICIAL ISS ANIV

TABLE II

BEAR CREEK NITRATES - 0.3 MILE WEST OF S-3 PONDS

uly 1972	Y-12 Rainfall (Inches)	pH At Weir	Depth (Inches)	Flow (gpm)	Nitrates (µg/g)	Nitrates (lbs/day)	Uranium (µg/g)	Uranium (lbs/day)
1	· -	3.8	1.7	9	3,917	423	12.5	1.4
_ 2	0.02	3•7	1.3	5	5,177	311	•	
3	<u></u>	3.7	1.3	· 5	5,986	359		
4	0.69	3.6	1.3	5	7,034	422		
5	• ·	4.2	2.5	24	1,023	295		
6	-	3.8	2.0	12	2,585	372	9.1	1.3
7	· .	3.6	1.6	8	4,179	401		
8	-	3•5	1.4	6	5,012	361		•
9	• -	3.5	1.2	Įţ.	6,000	288		
10	-	3.6	1.1	3	6,997	252		
= 11	-	3.4	1.0	2.8	7,647	257		
12	-	3.6	1.0	2.8	8,137	273	•	
_ 13	-	3•5	1.0	2.8	9,328	313	29.2	1.0
14	0.03	3.4	1.0	2.8	9,859	331		
15	-	3.4	0.9	2.0	10,391	249	•	•
1 6	. · · · · · · ·	3•5	0.9	2.0	10,820	260		
17	0.26	3•5	0.9	2.0	10,800	259	34.7	0.8
18	-	3.8	2.3	18.0	2,279	492		
19	0.26	3.8	1.5	7.0	4,465	31 3		•
2 0	e e garage 🖷	4.5	3•3	74.0	1,000	52 8	2.7	1.4
21	-	3•9	1.7	9.0	2,651	286	9.0	1.0
22	· -	3.7	1.6	8.0	3,969	381		
23		3.6	1.5	7.0	5,287	րդ		
24	-	4.1	1.3	5.0	6,114	367	22.4	1.3
25	1.38	3•5	1.3	5.0	7,433	357		
_ 26		3•9	1.5	7.0	7,831	658	22.8	1.9
27	0.92	4.0	1.3	5.0	8,780	527		
28	0.37	4.4	3•5	50.0	690	414		•
29	0.44	4.2	3.8	63.0	892	674		
30	0.17	4.2	3.6	53•0	1,113	70 8		
31	0.18	4.4	3•3	74.O	1,517	801		
TOTAL	L/Mo. 4.72					12,376		

TABLE III

TOTAL NITRATES BY MONTHS IN BEAR CREEK AND POPLAR CREEK

Poplar Creek	Bear Creek
11,000 (Est.)	
	13,257
10,517	18,672
9,189	4,166
11,113	4,687
14,694	5,363
11,460	19,053
16,909	29,120
14,379	31,432
18,456	36,272
15,284	30,964
14,984	22,947
15,701	12,534
13,147	12,376
	15,701

TABLE IV
S-3 DISPOSAL POND SOLUTION ELEVATIONS BY MONTHS

		Pond (Elevat	ion-Feet)	t) :		
Date	NE	SE	NW	SW		
July 21, 1971	1013.8	1011.7	1013-3	1011.2		
August 12, 1971	1014.0	1011.9	1013.7	1011.5		
September 3, 1971	1013.6	1011.4	1012.7	1011.0		
October 12, 1971	1013.8	1011.3	1012.2	1010.5		
November 9, 1971	1013.8	1011.1	1012.0	1010.2		
December 14, 1971	1013.8	1011.0	1012.6	1010.3		
January 7, 1972	1013.9	1011.5	1013.6	1010.8		
February 10, 1972	1013.8	1011.7	1013.8	1011.2		
March 8, 1972	1014.4	1012.0	1014.2	1011.7		
April 4, 1972	1014.4	1012.0	1014.2	1012.0		
May 2, 1972	1013.8	1012.0	1013.8	1012.0		
June 5, 1972	1013.7	1011.7	1013.7	1012.2		
July 5, 1972	1013.9	1011.4	1013.5	1011.7		
August 2, 1972	1014.0	1011.3	1013•3	1011.3		

Utticial use unly

Date	Location Of Sample	Distance To S-3 Ponds (~ mi)	РД	NO3 (mg/ml)	Soluble Uranium (µg/ml)
6-29-72 ⁽¹⁾	Inlet to Culvert, Bear Creek Road	0.75	4.4	1,201	1.11
u u	West Branch Bear Creek, Outlet	0.75	6.5	61	0.01
11	North Branch Bear Creek, Culvert	0.3	7.0	14	< 0.01
6-30-72 ⁽¹⁾	Landfill Pit Water	1.1	6.4	30	0.03
11	Bear Creek At West Landfill Entrance	1.2	6.8	786	-
tt	West Gate Bear Creek Burial Ground	1.7	6.8	694	0.06
7-3-72	Bear Creek At East Landfill Entrance	0.8	4.4	1,946	-
7-20-72 ⁽²⁾	Bear Creek At Highway 95 Spillway	4.9	8.2	60	0.09
7-24-72	West Gate, Bear Creek Burial Ground	1.7	5•3	941	1.10
7-26-72	West Gate, Bear Creek Burial Ground	1.7	6.3	651	0.14
"	Bear Creek Spring No. 2	1.8	8.0	217	0.02
7 - 27-72	North Branch Bear Creek, At Outlet	0.33	7.5	5,379	0.01
1	Inlet To West Culvert, Bear Creek Road	i 0.75	4.3	2,409	3•9
11.	Bear Creek At East Landfill Entrance	0.8	4.4	1,870	3.4
7-28-72	Inlet To Culvert, Bear Creek Road	0.75	4.4	1,315	2.2
7-31-72(3)	Excavated Pool, Overflow	0.33	4.5	1,131	-
8-2-72	Bear Creek At East Landfill Entrance	0.8	5.8	1,056	0.96

⁽¹⁾ Sampled following rainfall amounting to 2.28 and 0.03 inches, June 28 - 29.

⁽²⁾ Sampled following 1.54 inches of rainfall over a 3-day period as recorded on Bear Creek rain gauge.

⁽³⁾ Sampled following 2.0 inches of rainfall over five consecutive days.

SPECTROCHEMICAL ANALYSES BEAR CREEK WATER

TABLE VI

Location Ion	Upper West Branch (6-6-72) (µg/g)	Upper North Branch (6-6-72) (µg/g)
·		
Ag	0.01	< 0.01
Al	0.3	0.1 < 0.1
As	< 0.1 < 0.01	< 0.01
Au		0.01
В	0•04 0•3	< 0.01
Ba Be	< 0.01	< 0.01
B i	< 0.1	< 0.1
Ca	200.0	10.0
Cd	< 0.01	< 0.01
Co	< 0.2	< 0.2
Cr	< 0.01	< 0.01
Cs	< 0.6	< 0.6
Cu	< 0.1	< 0.1
Fe	0.3	0.1
Ga	< 0.01	< 0.01
Ge		
Hf	< 0.01 < 0.1 < 0.1 < 0.01	< 0.01 < 0.1 < 0.1
Hg	< 0.1	< 0.1
In	< 0.01	< 0.01
Īr	< 0.02	< 0.02
K	1.0	0.2
Li	< 0.1	< 0.1
Mg	5 • 0	2.0
Mn	0.01	0.3
Mo	< 0.01	0.01
Na	1.5	0.6
Nb	< 0.01	< 0.01
Ni	< 0.04	< 0.04
P	< 1.0	< 1.0
Pb	< 0.01	< 0.01
Pd	< 0.06	< 0.06
Rb	< 0.2	< 0.2
Rh	< 0.01	< 0.01
Ru	< 0.01 < 0.01 < 0.01	< 0.01 < 0.01
Sb		< 0.01 < 0.06 < 0.2 < 0.01 < 0.01 < 0.01 < 0.01
Sc		1.5
Si S-	3.0 < 0.01	
Sn Ta	< 0.01 < 1.0	< 1.0
Ta Th	< 0.04	< 0.04
Ti.	0.08	< 0.01 < 1.0 < 0.04 < 0.06
ጥገ		< 0.01
U(1)	< 0.01	< 0.01
V .	< 0.01	< 0.01
w	< 0.1	< 0.1
Ÿ	< 0.01	< 0.01
Zn	< 0.6	< 0.6
Zr	< 0.02	< 0.02

NO₃⁽¹⁾ 472.0 1.4 pH 7.69 7.40

(1)_{Chemical} analysis.

UCN-7721B MLB 43 OAK RIDGE Y-12	2 PLANT INFORMA	ATION CONTROL FORM	
. DOCUMENT	DESCRIPTION (Complete	d By Requesting Division)	
Document No. MS/ChR-503526/K-25	Author's Telephone No.	Acct. No.	Date of Request
Unclassified Title: Environmental	Vitrate Son	mpling Program	
Author(s) (Suzanne Sandbera)			
TYPE: Formal Report Informal Report	Progress/Status	Report Co-Op Report	☐ Thesis/Term Paper
Oral Presentation (identify meeting, sponsor, loc	cation, date):		
Journal Article (Identify Journal):			
<u> </u>			
Other (Specify):			
Document will be published in proceedings No	Yes		
Document will be distributed at meeting No	Yes		
Document has patent or invention significance No	Yes (Identify)		
Document has been previously released No	Yes (Reference)		
DIVISION REVIEW	Y AND APPROVAL (Co	mpleted By Requesting Division)	
TECHNICAL CLASSIFICATION REVIEW (Divisional Classification) Title(s): MClassification Review (Divisional Classification) Abstract: Mclassification Review (Divisional Classification)	1	DOCUMENT REQUEST APPRO	VED (Division or Department)
DOCUMENT: Level I Suffe Category	\$ 11 \	Signature	Date
Signature _	1/29/93 Date	Signeture	Date
THE REMAINDER OF THIS FORM	TO BE COMPLETED	BY THE TECHNICAL INFORMA	TION OFFICE
	DISTRIBUTIO		
Internal Distribution		Distribution: UCN-7721B	DOE F-1332.15 Document
External Distribution	Coming to CSTI	Y-12 Central Files Y-12 RC TIO File	Y-12 RC Y-12 RC
TID-4500 Category or or or or ANNOUNCED IN: ERA Atomindex (Available from		Suzanne Sandberg	
M-3679 Category			
ANNOUNCE IN: AWDR (Available from OSTI)	ANCR		
ANNOUNCE IN: AWDR (Available from OSTI) Cleand Dr Public Rule	es		
Distribution Remarks: ChemRisk	Application of the second of t	I compared the second control of the second	
Date Received Date Initiated	APPROVAL AND R	ELEASE	
Date Received Date Initiated 1-29-93	-93		
The acceptance of the second o	E	ditor	Date /
CLASSIFICATIONS:		Mari	1/29/93
Title(s): Abstract/	A	atent Office	/ / Date
DOCUMENT:	/ I = =	other	Date
Level U Category a/	<u> </u>	rcner	
Weapons Data Sigma NO		Other	Date
m. Theren 2-01			
Y-12 Classification Office	Date		
The state of the s			The state of the s
APPROVED FOR: Declassification	Release subject to use of t	the following admonitory markings	and conditions:
APPROVED FOR: Declassification Declassif		all	2/1/97
		all	and conditions: 2/1/97 ormation Office Date

ChemRisk Document Request Transmittal Form (This section to be completed by ChemRisk)

S. Sandberg	<u>Division</u>	is requested to pro	vide the following document
Address	MARION	13.04	
Date of Persest 1/11/93	Expected re	eceipt of document_	1/29/93
Title of requested document Env	conment	al Nitrate S	umpling ragram
Document Number 8 63528'. Access Number of Document	S03526	503524;50	3582;503517
Access Number of Document		_ Date of Docume	July-Nov. 197.
(This section to be completed by I	Derivative Class	ssifier)	hone <u>F-7864</u>
Date document transmitted to Dr.			
Date release received from Dr. Qu	uist		
PUBLIC RELEASE STAMP atta			
Date document sent to reproduction	on	Expected	Return
Delivered to DRC by		_	Date
(This section to be completed by	DRC)		
Received by DRC	Date		
Processed			
Mailed			

OAK RIDGE K-25 SITE DOCUMENT RELEASE FORM

Person requesting release Q. Lamb	Telephone No.	(510) 748-5643
Mailing Address Divis		ChamRisk
Date by which release is required 1/29/93	(Standard proc	essing time is 5 working days.
Some documents require special review and the process		
Note: Two copies of the document must generally be provided to the Classification and Ir one copy of photos and videotapes is required. Documents that include photos mu	nformation Control (st be accompanied	Office with this request. Only by "originals" of the photos.
Approval of request for Classification and Information Control Office to release document (c) Signature: Date	tepartment head or	nigher):
DOCUMENT DESCRIPTION (to be completed by requi	ester)	
Document title <u>S03528</u> ; S03526, S03524, S03522. Document title <u>Environmental Nitrate Sampline</u>	1 Program	
Author(s) (indicate other divisions or organizations, if applicable)	<u>C</u> ,	
Document type (See Doc. Prep. Guide, Chs. 1 and 2, for definitions of document types):		
☐ Formal Report ☐ Progress Report ☐ Informal R&D Report	Abstract	☐ Drawing
Administrative Correspondence Internal Technical Data	Photo	Other Visuals
Journal Article (identify journal):		
Oral Presentation (identify meeting, sponsor, location, date):		
	·	
Will oral presentation be published in program, booklet, brochure, etc.?	□ No □	Not Known
Will copies of the oral presentation be distributed 🔲 before. 🗀 after. 🗀 during	g the meeting?	No distribution will be made
Other (specify):		
Purpose of release		
Previously cleared documents containing similar information		
Is copyrighted material contained in this document? (If present, attach release.)	s 🗌 No	
Remarks		
CLASSIFICATION INFORMATION (to be obtained		
Was the work reported in this document funded, in whole or in part, by a classified progra	m at Martin Marietta	a Energy Systems, Inc.?
☐ No ☐ Yes (Name of program:		
Is the subject area of this document closely related to a prior or current classified program	at Martin Marietta 6	Energy Systems, Inc.?
☐ No ☐ Yes Within the Department of Energy?	☐ No ☐ Yes	
Name or Description of applicable program(s)		
Additional remarks	·	
This document contains no classified information. Derivative Classifier signature AMA Will Ch	Date //c	29/93
- N S 1 V		-1

to the second	Control of the second of the control of the second of the	
DISTRIBUTION	IMITATIONS (if any) (completed by requester)	
Unrestricted, unlimited Distribution may be limited because this document of	ontains information that is:	
	Applied Technology *	Export Controlled *
☐ Unclassified Controlled Nuclear Information *	Gov't Confidential Commercial Information *	Proprietary
Naval Nuclear Propulsion Information *	Small Business Innovation Research *	Official Use Only
Sensitive Nuclear Technology *	Cooperative R&D Agreement *	Other
Safeguards Information *	* Generally identified by sponsor	
	Generally recommend	
Remarks:		
PATENT	INFORMATION (completed by requester)	
	eracess or material?	
Does this document disclose any new equipment, t	Diocess. Or material	DRIWOILO
if yes, list the patent significance and identify page	number(s) and line number(s) in the space immediately f	<u> </u>
(or attach separate pages).		
		Correct Offices
PATENT SECTION ACTION (completed by P	atent Section upon request by the Classification and I	ntormation Control Office)
	☐ Document must be reviewed by DOE	Patent Group before release
 Document may be released for publication 	Document must be released at this til	me
	patentable information and may not be released at this ti	
Remarks		
	Data	
Patent Section Representative		
	Land by Classification an	d Information Control Office)
CLASSIFICATION AND INFORMATION CONT	ROL OFFICE ACTION (completed by Classification an	
	T will	h changes (see below)
Classification Office		
☐ Approved to releas		
-		
	Date	
Classification Officer signature	Date	
	<u> </u>	the singular (one helpw)
Technical Information	release (see below) Approved for release v	with changes (see below)
	ase without change	
_ ,,		
	Date	
Technical Information Officer Signature		
Send to OSTI?	Category Distribution:	
	en e	



INTERNAL CORRESPONDENCE

NUCLEAR DIVISION

POST OFFICE BOX Y, OAK RIDGE, TENNESSEE 37830

To (Name)

Mr. J. M. Napier

Date

September 11, 1972

Division Location

Originating Dept.

Answering letter date

1-12

Copy to

Listed Distribution

Environmental Nitrate Sampling Program

The results of the August, 1972 nitrate sampling program for Poplar Creek sampled near Building 9720-5 storm sewer outfall, and upper Bear Creek Valley 0.3 mile below the S-3 disposal ponds are presented in the attached Tables I and II. Soluble uranium analyses for Bear Creek and Poplar Creek are included. Prolonged dry weather in the latter part of the month resulted in high nitrate and uranium analyses in upper Bear Creek.

A summary by months of the total nitrates at the two sampling locations is presented in Table III. S-3 acid disposal pond water elevations from August, 1971 to August, 1972 are given in Table IV.

Analytical results on a series of samples from upper Bear Creek are reported in Table V. Note that most of the sampling site locations are indicated on the upper Bear Creek Area Map, Figure 1, except for a few downstream samples. Total rainfall in (September) was 2.31 inches with 0.63 and 1.39 inches falling on September 2 and 9, respectively. The remainder of the month was relatively arid. As a result, both the North and West Branch tributaries of Bear Creek, Figure 1, were completely dry except for a few stagnant pools, by the end of the month. The two excavated pools, one above and one below the weir sampling site No. 1, had sufficient capacity and evaporative surface area to retain all of the high nitrate (3,000 to 11,000 µg/ml) stream flow at this location on Bear Creek; however, some seepage was detected downstream of the larger excavated pool below map sampling site No. 2, Figure 1. At the end of the month, this seepage water was pH 4.16 and contained 5,548 µg/ml nitrate and 7.87 µg/g uranium ions, Table V. The small seepage flow was augmented by additional ground water contributions as it flowed downstream to the Bear Creek highway culvert crossing at sampling site 12, Figure 1. At this location the pH was 4.34, nitrate and uranium ions were 2,892 and 3.94, respectively, on 8-29-72. The flow was approximately 2 gpm.

Samples taken from Bear Creek at the west entrance to the sanitary landfill operation gave a pH of 8.24 with low nitrate and uranium ions by the end of the month, Table V. Exploration of the creek bed revealed that the acidic flow, pH 4.34, found at sampling site No. 12 was sinking into a creek bed cavity about 200 feet downstream of sample site No. 12. Flow resumed again approximately 200 feet further downstream, about sampling point No. 23. water appears to be emerging from a different source of ground water because of its higher pH, low nitrate and uranium content, and accounted for similar readings at the west gate to the landfill, Table V. Bear Creek at this point also receives relatively clean water from Spring No. 1. Bear Creek then continues to a point about 0.2 mile west of the landfill site where it again disappeared into cavities in the creek bed. Bear Creek was then dry for approximately 0.3 mile to where Spring No. 2 empties into the creek. From this location the flow was continuous to Spring No. 3 and beyond to the spillway at Highway 95 and to Watts Bar Lake. Springs No. 2 and 3 both contained 150 µg/ml nitrate; however, dilution from nitrate free water from other downstream springs was sufficient to reduce the nitrate level at the spillway to 43 µg/ml which is an acceptable level.

The final phase of the forest fertilization experiment being conducted in cooperation with the ORNL Ecology Division was completed August 14, 1972 on 12 plots of hardwood forest land located on a ridge on the north side of Bear Creek Highway. Figure 1 is an area map of upper Bear Creek Valley locating the 12 sprinklered plots and the four control plots. Cumulative nitrate spreading rates were: 200 lbs/ac for plots 1 to 4, 807 lbs/ac for plots 5 to 8, and 505 lbs/ac for plots 9 to 12. Plots 13 to 16, the controls, did not receive any nitrate. The 12 slightly larger plots shown on the map on the south side of Bear Creek Road denote the location of the pine stand that was irrigated in 1971.

Mr. Frank Harris, Ecologist, with the Environmental Science Division, Oak Ridge National Laboratory is continuing the preplanned sampling program for evaluating the effect of nitrates on the forest ecosystems. Forty-eight vegetative type samples were collected from the pine stand and analyses are now complete. Sixty-four soil samples to provide soil nitrogen baseline data, prior to irrigation of the hardwood forests are about 90% completed.

Six drums of neutralized Bear Creek water, containing 0.96 pounds of nitrate per gallon were used to irrigate approximately 0.1205 acre of Kenaf, under experimental cultivation by the Ecology Division, Oak Ridge National Laboratory. One-half of the irrigated plot also received 25 pounds of lime hydrate powder. The nitrate application rate was approximately 2,280 lbs/ac. Follow-up moisture and vegetative samples are planned to determine the uptake of nitrogen. Examination of the plot one week after application of the nitrate solution showed a notice-able vegetative response. Kenaf is a new crop being introduced from South Africa by the Department of Agriculture. It is a fast growing, highly productive crop that can be harvested as a source of raw material for pulp used in paper manufacture and as a high protein cattle food.

H. C. Francke

HCF:wj

Distribution

J. R. Barkman/D. Zucker

L. E. Burkhart/W. C. Dietrich

W. H. Dodson

J. S. Hurst

D. A. Jennings

R. G. Jordan

G. B. Marrow/E. G. Laggis

W. T. Mee

R. W. Morrow

J. A. Parsons

M. Sanders

J. M. Schreyer/C. R. Schmitt

I. G. Speas

P. E. Stein

J. W. Strohecker

W. E. Weathersby

R. D. Williams

W. J. Yaggi/J. M. Googin

File

TABLE I

POPLAR CREEK NITRATES - AT STORM SEWER OUTFALL NEAR 9720-5

						<i>.</i> .		
ug. 1972	Y-12 Rainfall (Inches)	pH At Outfall	Flow (gpm)	(10 ⁶ Flow lbs/day)	Nitrates (µg/g)	Nitrates (1bs/day)	Uranium (µg/g)	Urani (lbs/d
1		7.0	505	6.1	70	427		-
2	o<u>.</u>63	7.5	505	6.1	60	366	0.08	.0.4
3	-	7.2	620	7.4	64	14714	-	•
4	-	7.1	585	7.0	57	399	-	••
_ 5	-	7.2	450	5.4	55	297	0.05	0.2
6	0.16	7.2	450	5•4	58	313	. -	-
7	0.09	7.6	485	5.8	53	307	-	-
8	. 	7•5	485	5.8	70	406		-
9	1.39	7.6	2,600	31.2	39	1,217	-	
10	-	7•3	540	6.5	72	468		-
11	-	7.4	505	6.1	57	348	-	-
12	-	7.2	660	7•9	43	340	-	-
13		7.5	680	8.2	39	320	-	-
14	•••	7•5	710	8.5	38	323	-	-
15	-	7.6	680	8.2	48	39 ¹ 4	-	-
_1 6	🕶	7•5	710	8.5	46	391	-	
17		7•5	680	8.2	49	402	-	•
18		7.6	710	8.2	43	3 53	-	-
19	=	7.6	660	7•9	54	427	0.02	. 0.1
20	. •	7.6	620	7•4	62	459	-	
21	e esta a esta esta esta esta esta esta e	7•5	485	5.8	65	377	-	-
22	-	7•5	505	6.1	67	409		-
23	0.04	7.6	710	8.5	1474	374	. •	=
24	· -	7•5	710	8.5	51	434	-	-
25	-	7.6	505	6.1	66	403	•	· -
26	· •	7.6	485	5.8	68	394	0.03	0.1
27	-	7.7	485	5.8	69	400	-	-
28	-	7.6	450	5•4	72	389	-	-
29	-	7•5	660	7•9	51	403	•	-
30	· -	7•7	505	5.0	64	320	-	-
31.	••	7•5	1,100	13.2	5/1	317	0.01	0.1
motal/	Mo. 2.31				•	12,651	•	

TABLE II

BEAR CREEK NITRATES - 0.3 MILE WEST OF S-3 PONDS

g. 72	Y-12 Rainfall (Inches)	pH At Weir	Depth (Inches)	Flow (gpm)	Nitrates (µg/g)	Nitrates (1bs/day)	Uranium (µg/g)	Uranium (lbs/day)
	•	4.0	4.0	70.0	2,307	1,938		-
2	0.63	4.2	2.0	12.0	3,351	482	9.6	1.4
_3	-	4.2	4.8	110.0	1,269	1,675		. •
4	- -	4.1	3•5	50.0	2,799	1,679		-
_5	-	4.1	2.6	23.0	3,522	972	11.7	3.2
6	0.16	3.7	1.8	12.0	4,423	.637	-	-
7	0.09	4.1	1.8	12.0	4,846	698	-	-
8	••	3.8	1.3	5.0	5,306	318	17.1	2.5
9	1.39	4.1	1.6	8.0	5,563	534	-	-
Ο .	-	5.0	5.0	123.0	997	1,472	1.9	2.8
h	-	4.4	2.5	22.0	1,835	484		-
12	-	4.3	1.8	12.0	3,027	436	•	-
12 3	-	4.1	2.8	28.0	3,424	1,150	-	-
14	-	4.1	2.2	16.0	4,219	810	-	
5	<u>-</u>	4.1	1.8	12.0	5,361	772		
16	-	4.1	1.8	12.0	5,744	827	•	-
7	-	4.1	1.7	9•0	4,429	478	-	-
18	-	4.0	1.5	7.0	4,583	385	-	-
9	<u>.</u>	4.2	1.2	4.0	5,812	279	23.0	1.1
20	-	4.0	1.2	4.0	6,058	. 591	-	-
a l	e a superior 📟	4.0	1.1	3.4	6,997	285	-	-
22	-	4.0	1.1	3.4	7,469	305	-	-
2 3	0.04	3•9	1.1	3.4	7,040	287	-	-
<u>}</u> †	-	4.0	1.1	3.4	8,305	. 339		•••
<u>2</u> 5	-	3.9	1.0	2.6	9,386	292	-	- '
25 6	-	3•9	1.0	2.6	10,161	317	36.1	1.1
27	-	3.8	0.9	2.0	11,241	270	-	-
8	-	3.9	0.9	2.0	11,563	278	41.3	1.0
29	-	3•9	0.8	1.7	10,268	210	-	-
0	· •	4.0	0.7	1.1	11,187	1 4d	46.0	0.6
0 31		4.0	0.7	1.1	10,861	143	•••	-
otal/N	10. 2.31					19,191		_

TABLE III

TOTAL NITRATES BY MONTHS IN BEAR CREEK AND POPLAR CREEK

Month	Rainfall	Total Lbs. NO3		
		Poplar Creek	Bear Creek	
July	8.76	11,000 (Est.)	13,257	
August	2.36	10,517	18,672	
September	2.84	9, 189	4,166	
October	2.01	11,113	4,687	
November	1.94	14,694	5,363	
December	6.12	11,460	19,053	
January	7.15	16,909	29,120	
February	4.77	14,379	31,432	
March	6.02	18,456	36,272	
April	2.99	15,284	30,964	
May	5.15	14,984	22,947	
June	4.03	15,701	12,534	
July	4.72	13,147	12,376	
August	2.31	12,651	19,191	

TABLE IV
S-3 DISPOSAL POND SOLUTION ELEVATIONS BY MONTHS


	Pond (Elevation-Feet)				
Date	NE	SE	NW	sw	
July 21, 1971	1013.8	1011.7	1013-3	1011.2	
August 12, 1971	1014.0	1011.9	1013.7	1011.5	
September 3, 1971	1013.6	1011.4	1012.7	1011.0	
October 12, 1971	1013.8	1011.3	1012.2	1010.5	
November 9, 1971	1013.8	1011.1	1012.0	1010.2	
December 14, 1971	1013.8	1011.0	1012.6	1010.3	
January 7, 1972	1013.9	1011.5	1013.6	1010.8	
February 10, 1972	1013.8	1011.7	1013.8	1011.2	
March 8, 1972	1014.4	1012.0	1014.2	1011.7	
April 4, 1972	1014.4	1012.0	1014.2	1012.0	
May 2, 1972	1013.8	101,2.0	1013.8	1012.0	
June 5, 1972	1013.7	1011.7	1013.7	1012.2	
July 5, 1972	1013.9	1011.4	1013.5	1011.7	
August 2, 1972	1014.0	1011.3	1013.3	1011.3	
September 5, 1972	1014.0	1011.0	1012.7	1010.9	


TABLE V

NITRATE AND URANIUM ANALYSES - UPPER BEAR CREEK

**************************************		Map Sampling, Site			Solub] Uraniu
Date		No. (1)	pН	(µg/ml)	(µg/g
8-2-72	Bear Creek At East Landfill Entrance	23	5.76	1,056	0.9
8-8-72	Seepage Below Excavated Pool	2	4.16	784	0.1
8-29-72	Seepage Below Excavated Pool	2	4.16	5,548	7.8
8-29-72	Inlet To Culvert At Highway	12	4.34	2,892	3.9
8-29-72	Bear Creek At West Landfill Entrance	•	8.24	228	1.1
8-30-72	Bear Creek At West Landfill Entrance	•	8.24	86	1.1
8-30-72	Bear Creek, Spring No. 2	- ,	7•75	150	0.1
8-30-72	Bear Creek, Spring No. 3	. - ·	7•47	149	0.0
8-30-72	Bear Creek At Highway 95 Spillway	 *	7.81	43	0.1
9-3-72	Outlet To Culvert At Highway	12	4.21	2,973	4.4
9-3-72	Bear Creek At East Landfill Entrance	23	7.31	319	0.0
9-6-72	Bear Creek, Spring No. 1	•	7.43	< 0.2	< 0.0

⁽¹⁾ See Figure 1. Unnumbered sampling sites are downstream of map.





12 1-86) PAR OAK R	IDGE Y-12 PLANT IN				
	OCUMENT DESCRIPTION (To	
Document No.	Author's Teleph		0.	Date of Request	
MS/ChR-503524/K-25			Promon		
Unclassified Title: Environment	ar wirare, S	Mintering.	nagent,		A PART F
(5),70,000 500	412000)				
Author(s) (Suzanne San				Therio/To	Panas
_		ess/Status Report	Co-Op Report	Thesis/Te	rm raper
Oral Presentation (identify meetin	g, sponsor, location, date):			ASS CONTRACTOR OF THE SECOND	
Journal Article (Identify Journal):				· · · · · · · · · · · · · · · · · · ·	
Other (Specify):					
Document will be published in proceedings	No Yes				
Document will be distributed at meeting	☐ No ☐ Yes				
Document has patent or invention significance					
Document has been previously released	☐ No ☐ Yes (Refere	ence)			
DIVIS	ION REVIEW AND APPROV	AL (Completed By	Requesting Division)		
TECHNICAL CLASSIFICATION REVIEW (Di		tative) DOCUM	ENT REQUEST APPRO	VED (Division or Dep	partment)
Title(s) MCCa Stofeld At	ostract: NH				
DOCUMENT: LOVE LINGUE STYLES	Category NA		Signature		Date
Sara D. Welck	1/29/9	3_	Signature		Date
Signature	Date	LETTER BY THE 3	<u> </u>	TION GEEICE	
THE REMAINDER OF	THIS FORM TO BE COMP	RIBUTION	EURICAL INFUNMA	HOW OFFICE	
☐ Internal Distribution		Distribu	tion: UCN-7721B	DOE F-1332.15	Document
External Distribution		ł	ntral Files Y-12 RC	Y-12 RC	Y-12 RC
TID-4500 CategoryANNOUNCED IN: ERA Atomindex (A		OSTI TIO FI Suza	nne Sandberg		
M-3679 Category	Valiable from 14 (10)				
ANNOUNCE IN: AWDR (Available	e from OSTI)	NCR —			
- Change	/ 1 2 Pu	din Release)		
	Coared The In	News C	A CONTRACTOR OF THE PARTY OF TH	AND THE REAL PROPERTY AND ADDRESS OF THE PERSON OF THE PER	
Distribution Remarks: ChemRiSK	D	· · · · · · · · /			
Distribution Remarks: (NemKISK)	D				
		AND RELEASE			
Date Received Date Init		Π	A	E	Date
Date Received Date Init	tiated	AND RELEASE		/20/	Pate 2
Date Received 1-29-93 CLASSIFICATIONS:	tiated	Π	Janis	1/29/	Date Garage
Date Received 1-29-93 CLASSIFICATIONS:	1-29-93	Editor		1/29/	93
Date Received 1-29-93 CLASSIFICATIONS: Title(s): Ab DOCUMENT:	1-29-93	Editor		1/29/	93
Date Received 1-29-93 CLASSIFICATIONS: Title(s): Level Cat	1-29-93	Editor Patent Office Other		1/29/1	Q3 Date
Date Received 1-29-93 CLASSIFICATIONS: Title(s): Ab DOCUMENT:	1-29-93	Editor		1/29/1	Q3 Date
Date Received 1-29-93 CLASSIFICATIONS: Title(s): Level Cat	1-29-93	Editor Patent Office Other		1/29/1	Q3 Date
Date Received 1-29-93 CLASSIFICATIONS: Title(s): DOCUMENT: Level Weapone Date Y-12 Dassification Office	1-29-93 stract	Editor Patent Office Other Other		1/29/1	Q3 Date
Date Received 1-29-93 CLASSIFICATIONS: Title(s): Level Weapons Date Sigma	1-29-93 stract	Editor Patent Office Other Other		1/29/1	Q3 Date
Date Received 1-29-93 CLASSIFICATIONS: Title(s): Level Weapons Date Y-12 Passification Office	stract	Editor Patent Office Other Other	ng admonitory markings a	1/29/1	Q3 Date

ChemRisk Document Request Transmittal Form (This section to be completed by ChemRisk) Sandberg Division is requested to provide the following document Address

Address	
Para of Paguest 1/11/93 Expe	cted receipt of document 1/29/93
Title of requested document Environn	nental Nitrate Sampling Pragram
Document Number S 03528', S035	26;503524;503522;503317
Access Number of Document	26; 503524; S03522; S03517 Date of Document July-Nov. 197
(This section to be completed by Derivative Derivative Classifier Derivative Classifier Date document transmitted to Dr. Quist_	1) 1) Ch Phone 4-1864
Date release received from Dr. Quist	
PUBLIC RELEASE STAMP attached to	
Date document sent to reproduction	Expected Return
Delivered to DRC by	D -4 -
(This section to be completed by DRC)	
Received by DRCD	ate

Mailed

OAK RIDGE K-25 SITE DOCUMENT RELEASE FORM

-	Land	·	Telephone	No. (510) 748-5643
Person requesting release	J. Williams		Division or Organiz	ation ChamRisk
Mailing Address	1/29/9	3		processing time is 5 working days.
Date by which release is required	Some accuments require	special review and the	processing time will be	e ionger).
Note: Two copies of the docume one copy of photos and vi	ent must generally be provi deotapes is required. Doc	ided to the Classificatio uments that include pho	n and Information Corptos must be accompa	ntrol Office with this request. Only anied by "originals" of the photos.
Approval of request for Classificati	on and information Contro	ol Office to release doct	ment (department he	ad or nigher): 1フ
Signature:	<u> </u>		Date	
	DOCUMENT DESCRIPTI	ON (to be completed I	oy requester)	
	DOCOMENT SECOND	NOCOLL CARC	777 1 SAZTA-000	•
Document number S03528	1,503526,01	03524, 3033	al of October	im
Document title Environ	mental Nit	trate samp	oung progre	011
Author(s) (indicate other divisions	or organizations, if applic	able) Frankl	J, H.C.	
Document type (See Doc. Prep.	Guide, Chs. 1 and 2, for o	lefinitions of document	types):	
	ogress Report	Informal R&D Report	Abstract	☐ Drawing
<u> </u>		Internal Technical Data	☐ Photo	Other Visuals
_	orrespondence			
Journal Article (identify journ				
Oral Presentation (identify m	eeting, sponsor, location.	date):		
				☐ Not Known
Will oral presentation be put	olished in program, bookle	et. brochure, etc.?	Yes No	
Will copies of the oral prese	ntation be distributed	before. after.	during the meeting	? No distribution will be made
Other (specify):				
Purpose of release Previously cleared documents c	optaining similar informati	on		<u> </u>
Previously cleared documents c	Jillaining Jilla			
is copyrighted material containe			☐ Yes ☐ N	
Remarks				
	CLASSIFICATION II	NFORMATION (to be o	obtained by requeste	r)
Was the work reported in this d	ocument funded, in whole	or in part, by a classifi	ed program at Martin I	Manetta Energy Systems, Inc.:
☐ No ☐ Yes (Name o	f program:			
is the subject area of this docui	ment closely related to a D	mor or current classified	i program at Martin Ma	arietta Energy Systems. Inc.?
	W. W.	ithin the Department of	Energy? No [☐ Yes
☐ No ☐ Yes				
Name or Description of	applicable program(s)			
Additional remarks				
			н	,
This document contains no classifier signature	\	Welch	Date	1/27/93

	total by requester)	
DISTRIBUTION	LIMITATIONS (if anv) (completed by requester)	
4 Unrestricted, unlimited		1
Distribution may be limited because this document	contains information that is:	T T and Controlled *
☐ Unclassified Controlled Nuclear Information *	Applied Technology *	Export Controlled *
Navai Nuclear Propulsion Information *	Gov't Confidential Commercial Information	* Proprietary
Sensitive Nuclear Technology *	Small Business Innovation Research *	☐ Official Use Only
Safeguards information *	Cooperative R&D Agreement *	☐ Other
Saleguardoe	 Generally identified by sponsor 	·
		•
Remarks:		
DATEM	T INFORMATION (completed by requester)	
PATEN	I INFORMATION (COMPANY)	
Does this document disclose any new equipment	. process, or material?	No
Does this document display and identify had	e number(s) and line number(s) in the space immedi	ately following
If yes, list the patent significance and identity pages (or attach separate pages).	e nambono, elle	
(3) 4.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1		
	the Classification	and Information Control Office)
PATENT SECTION ACTION (completed by	Patent Section upon request by the Classification	
Document may be released for publication	Document must be reviewed by	
Document contain	s patentable information and may not be released at	this time
Remarks		
Patent Section Representative	Date	
		- Control
CLASSISICATION AND INFORMATION CON	TROL OFFICE ACTION (completed by Classificati	on and Information Control Office)
		ase with changes (see pelow)
Classification Office	elease take below,	
Action Taken: Approved for release	se without change	
Classification Officer signature	Date	
Classification Classification =		
Technical Information Not approved to	r release (see below)	ease with changes (see below)
	ease without change	
	Data	
Technical Information Officer Signature		
Send to OSTI? Yes No	Category Distribution:	
Send to OSH: res res		



INTERNAL CORRESPONDENCE .

NUCLEAR DIVISION

POST OFFICE BOX Y, OAK RIDGE, TENNESSEE 37830

To (Name)

Mr. J. M. Napier

Date

October 6, 1972

Division Location

vision

Originating Dept.

Answering letter date

4-12

Copy to

Listed Distribution

Subject

Environmental Nitrate Sampling Program

The results of the September, 1972 nitrate sampling program for Poplar Creek sampled near Building 9720-5 storm sewer outfall, and upper Bear Creek Valley 0.3 mile below the S-3 disposal ponds are presented in the attached Tables I and II. A few soluble uranium analyses for Bear Creek and Poplar Creek are included. Dry weather during the greater part of the month resulted in high nitrate and uranium analyses in upper Bear Creek, except following heavy rainfall on September 17 and 29, 1972.

A summary by months of the total nitrates at the two sampling locations is presented in Table III. S-3 acid disposal pond water elevations from August, 1971 to October, 1972 are given in Table IV. During September a total flow of approximately 5,000 pounds of nitrates was accounted for at weir site No. 1, Figure 1, on upper Bear Creek. This was one of the lowest months on record for nitrates, and was due to the generally prevailing dry weather conditions existing for most of the month. There were six days without any flow of water or nitrates through the weir and nineteen days with less than one gallon per minute flow of water which resulted in a minimum transport of nitrates to lower Bear Creek, Table II.

The sole continuous source of water and nitrates upstream of weir site No. 1, Figure 1, was a low flow aquifer fed by S-3 ground water analyzing 15,000 µg/g of nitrate and 60 µg/g of soluble uranium at pH 3.8. When the upstream sources above the weir dried up, the volume of water issuing from the aquifer was not sufficient to maintain flow through the weir. During the six "no flow" days, Table II, the water level in the lagoon above the weir dropped three inches below the V-notch of the weir. The lower lagoon during this same period dropped 24 inches below the overflow lip. Nitrate in the upper lagoon built up to 15,000 µg/g and was at 10,000 µg/g in the lower lagoon. Soluble uranium accumulated up to 60 µg/g in the upper lagoon. Following 1.11 inches of rainfall on September 17 1972 when flow through the weir peaked at 12 gpm, no overflow occurred at the lower lagoon; its reserve volume being sufficient to impound all upstream water.

Evaporation and seepage also helped. After approximately one week, mass flow of nitrates at the weir was averaging less than 22 pounds per day over a five-day period. During this period there was no overflow from the second lagoon and Bear Creek exhibited intermittent dry stretches to the point where Spring No. 2 enters Bear Creek, 1.7 miles west of the S-3 ponds.

On September 29 and 30, 1972 a heavy downpour of rain occurred amounting to 1.71 This time, there was heavy surface runoff with the weir peaking at ~ 200 gpm. This flow was sufficient to flush nitrate out of the upper lagoon as well as the lower lagoon, Table V. Nitrate and uranium profiles were made at points along upper Bear Creek to the Spillway at Highway 95, Table V, on September 30, 1972 following the rain. It was evident that the effect of a heavy surface runoff resulted in significant transport of accumulated uranium and nitrate ions downstream. Peak concentrations appeared at culvert sampling site No. 12, Figure 1, in Bear Creek and at the west entrance to the sanitary landfill about 1.2 miles below the S-3 ponds. The pH was also low at these two sampling sites. The heavy influx of high pH surface water into the two lagoons resulted in the formation of a colloidal aluminum hydroxide precipitate which imparted a pastel bluish color to the water and, subsequently, settled on the bottom and banks as a white flocculent precipitate of aluminum hydrate. At pH 6.23 in the upper lagoon, the analysis indicated that most of the earlier 60 µg/g uranium had been either washed downstream or precipitated.

A soil sample from an unsprinklered area adjacent to hardwood sprinkler site, No. 7, Figure 1, was sent to the Referee Analysis Laboratory in the Spectrometry and Physics Methods Department of the Oak Ridge National Laboratory at Y-12 for uranium isotopic analysis. The data are presented in Table VI. A sample from a 4-foot square fallout tray O.1 mile west of Building 9212 assayed 2.24 W/o U-235.

Baseline data on soil samples taken from the 16 hardwood plots prior to irrigation experiments are presented in Table VII. These data include existing total nitrogen, nitrate and ammonium nitrogen, uranium and soil pH at various depths. Similar samples following spray irrigation are being analyzed at ORNL.

A 70-foot diameter cultivated plot has been prepared as a site for a sprinkler experiment using alternate spray applications of discarded oil and nitrate solutions. This experiment was set up to determine the mechanics of using spray techniques for spreading oil and to assess the effect of periodic nitrate solutions on microbial activity. Seventy gallons of oil and 40 gallons of 1 W/o nitrate solution were applied on October 3, 1972.

H. C. Francke

HCF:wj

Attachments (8)

Distribution

R. C. Baker (Paducah)

J. R. Barkman

L. E. Burkhart/W. C. Dietrich

W. H. Dodson

J. S. Hurst

D. A. Jennings

R. G. Jordan

E. G. Laggis

G. B. Marrow

W. T. Mee

R. W. Morrow

J. A. Parsons

M. Sanders

J. M. Schreyer/C. R. Schmitt

I. G. Speas

P. E. Stein

J. W. Strohecker

W. E. Weathersby

R. D. Williams

W. J. Yaggi/J. M. Googin

D. Zucker

File

TABLE I

POPIAR CREEK NITRATES - AT STORM SEWER OUTFALL NEAR 9710-5

Sept. 1972	Rainfall (Inches)	pH At Outfall	Flow (gpm)	(10 ^{6Flow} lbs/day)	Nitrate (µg/g)	Nitrate (lbs/day)	Uranium (µg/g)
ı		7.6	680	8.2	49	402	-
2	-	7•5	415	5.0	66	330	-
3		7•9	450	5•4	64	346	-
14	0.04	7•9	450	5•4	62	346	-
5	0.25	7•5	505	6.1	60	366	-
6	•	7.5	585	7.0	47	329	-
7	-	7•7	660	7•9	52	411	-
8	0.02	7•5	680	8.2	52	426	-
9	•	7•5	680	8.2	46	377	
10	-	7.6	660	7.9	43	340	0.02
11.	-	7.6	660	7•9	43	340	-
12	<u>.</u>	7.6	660	7•9	46	3 63	-
13	-	7.7	660	7•9	46	3 63	-
14	 .	7.7	660	7•9	46	363	-
15	•	7.8	660	7•9	45	356	•
16	•	7.8	660	7•9	45	35 6	-
17	1.11	7•5	1,060	12.7	100	1,270	-
18	-	7.6	770	9.2	51	469	-
19	-	7.6	485	5.8	56	325	-
20	- ,	7.7	620	7•4	43	318	-
21	-	7.8	660	7.9	41	32 ¹ 4	-
22	-	7.7	485	5. 8	51	296	-
23	0.02	7.7	505	6.1	47	287	-
24	-	7•7	505	6.1	47	287	-
25	•	7.6	505	6.1	46	281	-
2 6	0.12	7.6	505	6.1	46	281	-
27	0.12	7•7	5 05	6.1	45	275	-
28	•	7.6	5 05	6.1	48	293	-
29	1.58	7•7	420	5.0	55	275	-
30	0.13	7.6	1,100	13.2	78	1,030	-
Total/	/mo. 3.39					11,825	

TABLE II

BEAR CREEK NITRATES - 0.3 MILE WEST OF S-3 PONDS

Sept. 1972	Rainfall (Inches)	pH At Weir	Depth (Inches)	Flow (gpm)	Nitrate (µg/g)	Nitrate (1bs/day)	Uranium (µg/g)	Uranium (lbs/day)
1	-	3•9	0.7	1.1	11,447	151	.	-
2	- ,	3•9	0.7	1.1	12,428	164	-	-
- 3	-	3•9	0.6	0.8	12,244	118	•	-
4	0.04	3•9	0.6	0.8	12,429	119	49.1	0.47
5	0.25	4.0	0.7	1.1	10,774	142		-
6	_	3.8	0.6	0.8	12,582	121	-	•
7	-	3.8	0.4	0.4	13,531	65	-	- ,
8	0.02	3.8	0.3	0.1	13,839	17	•	
9	•••	3.8	0.3	0.1	12,950	16	-	· •
10	-	3.8	0.3	0.1	13,502	16	-	-
11	-	3•9	No Flow	At Weir	13,502	No Flow	-	- .
12		3•9	11 11	H H	-	11 11	-	••
13		3.9	91 11	11 11	14,391	87 1 7	59.0	No Flow
14		3.9	11 11	11 11	-		· •	-
15	•	3.8	11 11	11 11	15,063	31 31 •	-	-
16	-	3.8	11 11	n n	-	18 18	-	
17	1.11	4.1	1.8	12.0	4,368	629	-	-
18	- .	4.0	1.5	7.0	5,957	500	-	-
1 9	-	4.0	1.2	4.0	5,527	265	-	•
20	<u>-</u> -	4.0	1.2	4.0	7,264	349		-
21	-	4.0	1.0	2.6	8,163	255	-	-
22	-	4.0	0.9	2.0	8,352	200	-	-
23	0.02	4.0	0.7	1.1	8,388	111	30.7	0.41
24	-	4.0	0.5	0.4	8,879	43	=	• -
25	-	3•9	0.4	0.2	10,023	24	-	
2 6	0.12	3•9	0.4	0.2	10,000	24	-	•
27	0.12	3•9	0.4	0.2	9,839	24	. -	-
28	-	3•9	0.4	0.2	11,004	26	-	•
29	1.58	3.9	0.3	0.1	10,840	13	-	-
30	0.13	6.2	6.0	196.0	696	1,637	0.1	0.23
Total,	/mo 3.39		•			5,029		


TABLE III

TOTAL NITRATES BY MONTHS IN BEAR CREEK AND POPLAR CREEK

		Total Lbs. NO3			
Month	Rainfall	Poplar Creek	Bear Creek		
July	8.76	11,000 (Est.)	13,257		
August	2.36	10,517	18,672		
September	2.84	9,189	4,166		
October	2.01	11,113	4,687		
November	1.94	14,694	5,363		
December	6.12	11,460	19,053		
January	7.15	16,909	29,120		
February	4.77	14,379	31,432		
March	6.02	18,456	36,272		
April	2.99	15,284	30,964		
May	5.15	14,984	22,947		
June	4.03	15,701	12,534		
July	4.72	13,147	12,376		
August	2.31	12,651	19,191		
September	3•39	11,825	5,029		
-		•			

TABLE IV
S-3 DISPOSAL POND SOLUTION ELEVATIONS BY MONTHS

		Pond (Elevat	cion-Feet)	
Date	NE	SE	NW	sw
July 21, 1971	1013.8	1011.7	1013.3	1011.2
August 12, 1971	1014.0	1011.9	1013.7	1011.5
September 3, 1971	1013.6	1011.4	1012.7	1011.0
October 12, 1971	1013.8	1011.3	1012.2	1010.5
November 9, 1971	1013.8	1011.1	1012.0.	1010.2
December 14, 1971	1013.8	1011.0	1012.6	1010.3
January 7, 1972	1013.9	1011.5	1013.6	1010.8
February 10, 1972	1013.8	1011.7	1013.8	1011.2
March 8, 1972	1014.4	1012.0	1014.2	1011.7
April 4, 1972	1014.4	1012.0	1014.2	1012.0
May 2, 1972	1013.8	1012.0	1013.8	1012.0
June 5, 1972	1013.7	1011.7	1013.7	1012.2
July 5, 1972	1013.9	1011.4	1013.5	1011.7
August 2, 1972	1014.0	1011.3	1013.3	1011.3
September 5, 1972	1014.0	1011.0	1012.7	1010.9
October 4, 1972	1013.9	1010.8	1012.7	1010.5






TABLE V

NITRATE AND SOLUBLE URANIUM PROFILE OF BEAR
CREEK FOLLOWING 1.71 INCHES OF RAINFALL
WHEN PRECEDED BY DRY WEATHER

Location Of Sample	Distance To S-3 Pond (Mi.)	рH	NO3 (µg/ml)	U (µg/ml)
Weir Station, Site No. 1 (196 gpm)	0.3	6.23	696	0.08
Outflow From Large Lagoon Below Weir Station	0.3	5.04	794	1.22
Inlet To Culvert Bear Creek Road	0.7	4.79	1,747	1.01
West Entrance To Sanitary Landfill	1.2	5•3 ¹ 4	1,110	0.71
Bear Creek Bridge	2.3	7.07	506	0.09
Spillway At Highway 95 (1,333 gpm)	5•0	7.08	342	0.25

Sampled 2 p.m. 9-30-72.

TABLE VI

URANIUM ISOTOPIC ANALYSES - SOIL SAMPLE

Isotope	[₩] /∘
U-233	< 0.0001
U-234	0.021
U-235	1.89
_	0.0076
U-23 6	
U-23 8	98.01

TABLE VII

CHEMICAL ANALYSES SOIL SAMPLES FROM HARDWOOD FOREST SITE
PARTS PER MILLION

Sample No.	Depth (In.)	Total-N	NO ₃ -N	nh ₄ -n	U	pH
1-1 1-1 1-1 1-1 2-1 2-1 2-1 2-1	0-6 6-12 12-18 18-24 0-6 6-12 12-18 18-24	857 635 541 461 887 354 325 276	35 13 12 9 44 8 7	58 58 32 30 91 29 21	2.76 - - 3.24	4.86 - 5.15 4.73 - 5.00
3-1 3-1 3-1 3-1 4-1 4-1 4-1	0-6 6-12 12-18 18-24 0-6 6-12 12-18 18-24	1,232 413 319 272 788 512 397 358	68 12 9 7 14 15 11	81 26 11 15 93 43 27 14	3.22 - - 3.75	4.92 4.95 4.92
5-1 5-1 5-1 5-1 6-1 6-1 6-1	0-6 6-12 12-18 18-24 0-6 6-12 12-18 18-24	1,331 615 394 451 1,450 554 547 338	33 18 10 8 53 16 19	154 71 30 18 158 57 50 20	6.41 - 7.92	4.74 - 4.86 5.31
7-1 7-1 7-1 7-1 8-1 8-1	0-6 6-12 12-18 18-24 0-6 6-12	714 599 604 421 1,289 485	28 17 10 15 37 17	71 42 66 34 154 46	0.99 - - 5.01	4.95 - 4.98 5.20

ChemRisk Document Required This section to be completed by ChemRisk)	uest Transmittal Form
S Sandleya (CEP	1. A. fallowing document
Name Division	is requested to provide the following document
Address	
Date of Request 1/11/93 Expected rec	eipt of document 1/29/93
Title of requested document Environmenta	& Nitrate Sampling Pragram
Document Number 903528; S035265	503524; 503522; 503517
Document Number S 63528; S03526; Access Number of Document	Date of Document July-Nov. 1972
Date document transmitted to Dr. Quist	<u>l Ch</u> Phone 4-7864
Date release received from Dr. Quist	
PUBLIC RELEASE STAMP attached to each co	py of document (YES NO) Expected Return
Date document sent to reproduction	
Delivered to DRC by	Date
(This section to be completed by DRC)	
Received by DRCDate	
Processed	
Mailed	

2 1-86)		RMATION CONTROL FO	
	MENT DESCRIPTION (Com Author's Telephone	pleted By Requesting Division) No. Acct, No.	Date of Request
MS/ChR-503522/K-25	(o - 8475	L-	Date of Request
nclassified Title: Enviconmental	NHAIS JA	thind acatam	The first of the control of the second control of the control of t
	`		
uthor(s) <u>(Suzanne Sanab</u>	erg)		
YPE: Formal Report Informal Repo	ort Progress/S	tatus Report 🔲 Co-Op Rep	ort Thesis/Term Paper
Oral Presentation (identify meeting, spor	nsor, location, date):		
lournal Arrials (Identify, Journal):			
Journal Article (Identify Journal):			
Other (Specify):			
ocument will be published in proceedings	No Yes		
ocument will be distributed at meeting	No Yes		
ocument has patent or invention significance	No Yes (Identify)		
ocument has been previously released	No Yes (Reference)		
DIVISION F	REVIEW AND APPROVAL	(Completed By Requesting Divisio	n)
ECHNIÇAL CLASSIFICATION REVIEW (Divisiona	al Classification Representativ	e) DOCUMENT REQUEST A	PROVED (Division or Department)
itle(s): MClassified Abstract	: NA		•
OCUMENT: Level UNCO STILLEDCOTE	- 1 A	Signature	Date
Saya Li La Chi.	1/29/93	-	
Signature	Date	Signature	Date
THE REMAINDER OF THIS	FORM TO BE COMPLET	ED BY THE TECHNICAL INFO	RMATION OFFICE
	DISTRIBU	ITION	
Internal Distribution		Distribution: UCN-77	
External Distribution TID-4500 Category or	Copies to OS	Y-12 Central Files Y-12 F	RC Y-12 RC Y-12 R
ANNOUNCED IN: ERA Atomindex (Available		Suzanne Sandberg	
M-3679 Category			
ANNOUNCE IN: AWDR (Available from	OSTI) ANCR		
Distribution Remarks: ChemRisk (C	$\mathcal{P}_{\mathbf{a}}$	blie Release)	
distribution Hemarks: METTRION CL	reach Solin	Vice program	
	V		
Date Received Date Initiated	APPROVAL AN	D RELEASE	
	-29-93		
2 CLASSIFICATIONS:		Editor	Date
	[3]	Parent Office	1/29/93 pate
OCCUMENT: Abstract		Patent Onice	/ Para
1 1	□	Other	Date
Level Category			
Weapons Data Sigma		Other	Date
CALICA CLAR	2-3-93		
Y-12 Classification Office	Date		
			ince and conditions:
PPROVED FOR: Decisesification	Release subject to use	of the following admonitory mark	iilds and Conditions.
APPROVED FOR: Declassification		of the following admonitory mark	2/ 2/
	Release subject to use		Information Office Date

OAK RIDGE K-25 SITE DOCUMENT RELEASE FORM

0 f la		Telephone No.	(510) 748-5643
Person requesting release Q. Jumb	Div		ChemRisk
Mailing Address			
Date by which release is required	29 93 require special review and the proce		essing time is 5 working days.
Some documents	require special review and the proce	soing and the second	Office with this request. Only
Note: Two copies of the document must generally to one copy of photos and videotapes is require	ed. Documents that include photos it	indicate and a second and a	- , <u>-</u>
Approval of request for Classification and Information Signature:	n Control Office to release document	department head o	r nigher):
O SOCIMENT DES	CRIPTION (to be completed by rec	juester)	
Document number 503528 ' S03526	5, S03524, S03522	<u> </u>	
Document number S03528 'S03526' Society Societ	Nitrate Samplu	na Program)
		$\mathcal{I}_{I}}}}}}}}}}$	
Author(s) (indicate other divisions or organizations.	tannicable) Frankly, t	t. C,	
Author(s) (indicate other divisions of organizations.			
Document type (See Doc. Prep. Guide, Chs. 1 and	2. for definitions of document types)	:	
Formal Report Progress Report	☐ Informal R&D Report	Abstract	☐ Drawing
☐ Administrative ☐ Correspondence	☐ Internal Technical Data	Photo	Other Visuals
Journal Article (identify journal):			
Oral Presentation (identify meeting, sponsor, to	cation, date:		
		□ No □	Not Known
Will oral presentation be published in program.			
Will copies of the oral presentation be distribute	ed 🗌 betore. 🗀 after. 🔲 du	ring the meeting?	No distribution will be made.
Other (specify):			
Previously cleared documents containing similar in	formation		ì
Previously cleared documents containing similar in			
	2 (If procent attach release.)	Yes 🔲 No	
is copyrighted material contained in this document			
Remarks			
CLASSIFICA	TION INFORMATION (to be obtain	ed by requester)	
Was the work reported in this document funded, if	n whole or in part, by a classified pro	gram at Martin Marie	etta Energy Systems. Inc.?
No Yes (Name of program:			
is the subject area of this document closely related	t to a prior or current classified prodr	ram at Martin Marietti	a Energy Systems, Inc.?
is the subject area of this document closely related	1 to a prior of current of Energy	w2	es
☐ No ☐ Yes	Within the Department of Energ		
Name or Description of applicable program	(s)		
Additional remarks			
		ન્	
This document contains no classified information	1 (, 200 M.	Date /	27/93
Derivative Classifier signature	x was up		

DISTRIBUTION	LIMITATIONS (if anv) (com	pleted by requester)	
Unrestricted, unlimited			
Distribution may be limited because this document of	ontains information that is:		
☐ Unclassified Controlled Nuclear Information *	Applied Technology	*	Export Controlled *
Naval Nuclear Propulsion Information *	Gov't Confidential Co	ommercial Information *	Proprietary
Sensitive Nuclear Technology *	☐ Small Business Inno	vation Research *	Official Use Only
Safeguards Information *	Cooperative R&D Ag	reement *	Other
Salegualus información	* Generally iden	tified by sponsor	
			• ,
Remarks:			
PATENT	INFORMATION (completed	by requester)	
Does this document disclose any new equipment.	process, or material?	☐ Yes ☐ No	
If yes, list the patent significance and identify page	number(s) and line number(s	s) in the space immediately	following
(or attach separate pages).		·	
PATENT SECTION ACTION (completed by P	atent Section upon request	by the Classification and	Information Control Office)
PATENT SECTION ACTION (COMPLETED S)			Patent Group before release
Document may be released for publication			
Document contains	patentable information and n	nay not be released at this if	
Remarks			
•		Date	
Patent Section Representative			
		istad by Cinesification an	d Information Control Office)
CLASSIFICATION AND INFORMATION CONT	ROL OFFICE ACTION (com		
Classification Office	ease (see pelow)	Approved for release with	th changes (see below)
Action Taken: Approved for release			
		Date	
Classification Officer signature			
		Approved for release	with changes (see pelow)
Technical Information		Approved for resource	
Approved for release	se without change		. •
	× .		
		<u> </u>	
Technical Information Officer Signature		Date	
Send to OSTI? Tyes No	Cate	gory Distribution:	
35/14 to 35/11 155	32.0	= *	



INTERNAL CORRESPONDENCE

50351+

POST OFFICE BOX Y, OAK RIDGE, TENNESSEE 37830

NUCLEAR DIVISION

To (Name)

Division Location

Mr. J. M. Napier

Dale

November 13, 1972

Originating Dept.

Answering letter date

Y-12

Copy to

Listed Distribution

Subject

Environmental Nitrate Sampling And Forest Fertilization Programs

The results of the October, 1972 nitrate sampling program for Poplar Creek sampled near Building 9720-5 storm sewer outfall, and upper Bear Creek Valley 0.3 mile below the S-3 disposal ponds are presented in the attached Tables I and II. Wet weather during the greater part of the month resulted in generally lower nitrate concentrations because of surface runoff dilution. Nitrate concentrations at the weir sampling station on Bear Creek varied from 170 to 6,000 µg/ml in October versus 700 to 15,000 µg/ml in September. Rainfall was 3.39 inches in September versus 6.91 inches in October which was a record rainfall for October a normally dry month.

S-3 acid disposal pond water elevations from July, 1971 to November, 1972 are given in Table III. Because of the heavy rainfall during October, the S-3 pond impoundment levels are now at elevations normally reached early in January. A summary by months of the total nitrates at the two designated sampling locations is presented in Table IV. The total quantity of nitrate was significantly higher in Bear Creek for October than in September.

Mr. Frank Harris, Ecologist at Oak Ridge National Laboratory, is evaluating the effect of nitrates on the forest ecosystems following spray irrigation with calcium nitrate solutions. His preliminary evaluations entitled: (1) "Summary of Nitrogen Concentrations In Soil Water Collected At Two-Foot Depth On Forest Irrigation Plots," dated October 5, 1972, and (2) "Results Of Forest Irrigation Project: Organic Matter Losses From Forest Litter," dated October 25, 1972, indicate significant responses in substrate organic matter, particularly in the biologically active upper soil horizon. The memos are made a part of this report to provide more detailed information for those desiring additional information on the subject matter.

H. C. Francke

HCF:wj

Attachments (12)

Distribution

- R. C. Baker (Paducah)
- J. R. Barkman
- R. B. Burditt
- L. E. Burkhart/W. C. Dietrich
- F. E. Clark
- W. H. Dodson
- H. C. Francke
- W. E. Gary
- W. C. Hartman
- J. S. Hurst
- I. W. Jeter
- R. G. Jordan
- E. G. Laggis
- W. T. Mee
- G. B. Marrow
- R. W. Morrow
- J. M. Napier
- L. G. Overholser
- J. A. Parsons
- J. H. Pashley
- M. Sanders
- J. M. Schreyer/C. R. Schmitt
- I. G. Speas
- P. E. Stein
- J. W. Strohecker
- D. D. Stroud
- T. C. Trotter
- W. E. Weathersby
- R. D. Williams
- W. J. Yaggi/J. M. Googin
- D. Zucker

File

TABLE I

POPLAR CREEK NITRATES - AT STORM SEWER OUTFALL NEAR 9720-5

0ct. 1972	Y-12 Rainfall (inches)	pH At Outfall	Flow (gpm)	Flow (10 ⁶ lbs/day)	Nitrates (µg/g)	Nitrates (lbs/day)	Uranium (µg/g)
1	-	7.9	345	4.1	71	291	-
2	_	7.8	360	4.3	65	280	-
3	pm	7•9	360	4.3	45	194	
14	1.41	7.9	360	4.3	45	194	0.05
5	_	7.5	600	7.2	52	374	· -
6		7.8	415	5.0	58	290	_
7	-	7.7	360	4.3	61 .	262	-
8	 /	7.6	345	4.1	60	246	. • •
9	**	7.6	3145	4.1	60	246	_
10	-	7•5	360	4.3	59	254	-
11		7.5	360	4.3	65	280	-
12	0.03	7.5	360	4.3	68	292	-
13	0.89	7.6	600	7.2	60	432	•
14		7.6	345	4.1	75	308	
1 5	-	7.6	345	4.1	85	349	-
16	0.14	7.7	360	4.3	70	301	-
17	1.72	7.4	1,500	18.0	71	1,278	0.18
18	1.27	7.6	3,300	39.6	42	1,663	_
19	0.66	7.6	1,800	21.6	34	734	-
20	-	7.7	485	5.8	53	307	-
21	**	7.6	450	5.4	55	297	-
22	_	7.5	450	5.4	55	297	_
23	0.15	7.3	420	5•0	5 ¹ 4	270	_
24	f -	7.6	420	5.0	69	345	-
25	-	7.6	420	5.0	63	315	-
26	- -	7.6	420	5.0	69	345	-
27	0.47	7.6	360	4.3	66	284	-
28	0.06	7.6	660	7•9	. 77	608	-
29	- .	7.6	485	5.8	70	406	-
30	0.01	7.6	360	4.3	67	288	-
31	0.10	7.2	1,060	12.7	93	1,181	-
Total			U			13,211	

TABLE II

BEAR CREEK NITRATES - 0.3 MILE WEST OF S-3 PONDS

oct. 1 1972	(-12 Rainfall (inches)	pH At Weir	Depth (inches)	Flow (gpm)	Nitrates (µg/g)	Nitrates (lbs/day)	Uraniur (y ıg/g)
1	e-4	4.4	3•5	50.0	1,931	1,159	_
2		4.2	1.8	10.0	3,632	436	-
3	_	4.1	1.6	8.4	3,725	375	-
14	1.41	4.1	1.5	7.0	3,800	319	18.0
5	-	5•9	5.0	120.0	452	651	-
6	_	4.8	2.0	12.0	2,000	288	**
7		4.4	2.0	12.0	2,5 0 0	. 360	1.2
8	· ·	4.2	2.0	12.0	3,000	432	-
9	• • •	4.2	1.8	10.0	3,831	460	-
10	·	4.1	1.3	5.0	4,454	267	-
11	-	4.1	1.0	2.8	4,600	1 85	-
12	0.03	4.1	1.0	2.8	5,977	241	-
13	0.89	6.1	5.5	150.0	1,992	3,586	-
14	- ·	14.14	2.6	24.0	1,490	429	-
15	-	4.3	2.0	12.0	1,808	260	-
16	0.14	4.2	1.8	10.0	2,952	354	-
17	1.72	6.5	7.5	340.0	172	70 6	-
18	1.27	4.7	4.0	70.0	1,624	1,364	***
19	0.66	6.4	8.0	400.0	212	1,018	-
20	-	5•7	3.6	54.0	929	602	-
21	, 🖚	5.4	3.0	35.0	1,355	569	-
22	•=	5•3	2.6	24.0	1,641	473	-
23	0.15	5•3	2.2	15.0	1,800	324	-
24	_	5•5	2.5	22.0	1,887	49 8	/ •
25	-	5•3	2.2	15.0	2,071	373	-
26	-	5•3	2.0	12.0	2,115	305	-
27	0.47	5 . 0	2.0	12.0	2,586	372	-
28	0.06	6.3	4.0	70.0	1,269	1,066	-
29	-	4.8	2.5	22.0	1,894	500	-
30	0.01	4.6	2.0	12.0	2,495	359	-
31	0.10	4.5	2.5	22.0	3,120	824	-
Total/mo	o. 6.91		t.			19,155	

TABLE III
.
S-3 DISPOSAL POND SOLUTION ELEVATIONS BY MONTHS

	·			
		Pond (Elevat	cion-Feet)	
Date	NE	SE	IVW	SW
July 21, 1971	1013.8	1011.7	1013.3.	1011.2
August 12, 1971	1014.0	1011.9	; 1013.7	1011.5
September 3, 1971	1013.6	1011.4	1012.7	1011.0
October 12, 1971	1013.8	1011.3	1012.2	1010.5
November 9, 1971	1013.8	1011.1	1012.0	1010.2
December 14, 1971	1013.8	1011.0	1012.6	1010.3
January 7, 1 972	1013.9	1011.5	1013.6	1010.8
February 10, 1972	1013.8	1011.7	1013.8	1011.2
March 8, 1972	1014.4	1012.0	1014.2	1011.7
April 4, 1972	1014.4	1012.0	1014.2	1012.0
May 2, 1972	1013.8	1012.0	1013.8	1012.0
June 5, 1972	1013.7	1011.7	1013.7	1012-2
July 5, 1972	1013.9	1011.4	1013.5	1011.7
August 2, 1972	1014.0	1011.3	1013.3	1011.3
September 5, 1972	1014.0	1011.0	1012.7	1010.9
October 4, 1972	1013.9	1010.8	1012.7	1010.5
ovember 2, 1972	1014.0	1011.2	1013.5	1010.9

TABLE IV

TOTAL NITRATES BY MONTHS IN BEAR CREEK AND POPLAR CREEK

		Total L	bs. NO ₃
Month	Rainfall	Poplar Creek	Bear Creek
July	8.76	11,000	13,257
August	2.36	10,517	18,672
September	2.84	9 189	4,166
October	2.01	11,113	4,687
November	1.94	14,694	5,363
December	6.12	11,460	1 9,053
January	7.15	16,909	29,120
February	4.77	14,379	31,432
March	6.02	18,456	36,272
April	2.99	15,284	30,964
May	5.15	14,984	22,947
June	4.03	15,701	12,534
July	4.72	13,147	12,376
August	2.31	12,651	19,191
September	3•39	11,825	5,029
October	6.91	13,211	19,155

These data are representative of only two of the nitrate sources sampled. They are not meant to include all contributing sources to either creek.

INTRA-LABORATORY CORRESPONDENCE

OAK RIDGE NATIONAL LABORATORY

October 6, 1972

To:

H. C. Francke

From:

W. F. Harris WA+

Subject:

Summary of nitrogen concentrations in soil water collected

at 2' depth on forest irrigation plots

Nitrogen analyses included separate analysis of nitrate, ammonia, and total nitrogen (Table 1). Total nitrogen includes ammonia and organic nitrogen, but not NO3-N. Analyses were processed with similar samples from on-going research on Walker Branch Watershed (WBW) by ESD personnel.

As anticipated, free soil water availability during the 6 June to 24 August period has been sporadic (Table 1). It is reasonable to assume, therefore, that NO₃ added during irrigation has remained in the upper soil horizons and been subject to assimilatory denitrification by litter and soil microflora during periods of favorable litter moisture conditions. The applications of effluent coincided with generally dry soil conditions. Summer rainfall typically does not recharge soil moisture because of high evaporative demands.

Pre-irrigation nitrogen concentrations are similar to results obtained on Walker Branch Watershed. Concentrations vary seasonally and with forest type. Therefore, a greater range of forest conditions from WBW will be available for comparison with 1972 treatments.

The results from the lysimeter on plot #l appear to be spurious. The data suggest that effluent may be running down the side of the lysimeter tube or the tube intersects an old root channel at depth. The NO₃ concentrations peak shortly after irrigation followed by a decline which suggests direct channelization of effluent. This lysimeter will be relocated before soil moisture recharge occurs.

Effluent application has not affected total -N concentrations. Apparently the natural buffer system of the soil is effectively neutralizing the alkaline effluent without loss of colloidal soil organic matter. Ammonia concentrations have been highly variable and the data do not indicate any consistent patterns. Nitrate -N concentrations also are variable, but appear to be within the range of control plot concentrations.

The soil water data collected to date indicate that:

1) there have been no adverse effects on the soil system from application of alkaline (pH 10+) effluent;

2) the residence time of effluent NO₃ in the biologically active upper soil horizons ranges thus far up to 100 days (6/27-10/5).

H. C. Francke Page 2 October 6, 1972

What little soil water percolating beneath 2' thus far has nitrate concentrations within limits of control plots. The responses following soil moisture recharge will be evaluated as planned. We should expect some elevation in NO₃ concentration initially for both treated and control area followed by a decrease due to dilution from the increased volume of water moving down the soil profile.

WFH/clh

cc: D. E. Reichle

G. S. Henderson

D. J. Nelson

Attachment (Table 1)

Table 1. Summary of nitrogen concentrations in soil water percolating to the 2^{\prime} depth on forest irrigation plots. Data are expressed as ppm N.

DATE 1						-			1	PLOT N	1 7		ار	2	10	-[- -[-		J J
TOTAL-N			-	(200 TP)/A)			(T 008)	b/A)	c		(500		T.C.	1 1			(Control)
TOTAL-W MO MO MH MH MH MH MH MH MH MH	DATE																	
MOM I O.O. I O.O. I O.O. O.O. O.O. I I I I	6-6	TOTAL-N	1	0.95	ı	1.73	1	0.85	0.67		.	1	ı	ı			ı	1
TOTAL-N TOTAL-N NO3 NO4 NO4 NO4 NO4 NO4 NO4 NO		CON	1	0.03	. 1	0.03	t	0.09	40.0	1	1	1	ı	ı	1		1	1
TOTAL-N NO NO NO NO NO NO NO NO NO		NH ₄	1	0.30	•	0.41		0.56	0.68	i	ı		ſ	1		•	1	1
MO ₃ - 0.04 0.04 - 0.02 - 0.03	6-15	TOTAL-N	1	0.89	0.60	1 .	0.56	ı	0.50	1	ı	ı	ı	ī	ı			1
TOTAL-N TOTAL-N NO NO TOTAL-N NO NO NO NO NO NO NO NO NO		NO2	1	0.04	40.0	ı	0.02	ı	0.03	ī	. 1	ı	r	1	ı			1
TOTAL-N NO NH NO TOTAL-N NO TOTAL-N NO NH NO NH NO NO NH NH		t _{HM}	ı	0.35	0.41	1	0.55	· 1	1.55	1	. 1	1	1	i	ı		ī	1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6-22	TOTAL-N	ī	1	1.04	i	i	ı	1	i	ì	ı	1	·	ı			T
MH ₄ 0.56		$_{\rm NO_3}$		i	0.08	i	·	1	١.	i	1	1	1	1	t		ı	1
TOTAL-N - *		NH ₁	ı	I,	0.56		i	ı	i	1	I	1	· · · · · · · ·	i	ī			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6-27ª	TOTAL-N	1	*	1	4	1	ı	1	ì	ı	i	1				ī	1 1 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		NO3	1	0.54	ı	ı	1	ī	1	I	t.	1	1	. 1			1	1
TOTAL-N 2.55 - * * - * * *		NH ₄	ı	*	1	1	, i	t 20	1	ı	1	. 1	i				ı	1
NO_3 1.40 - 0.25)-u	TOTAL-N	2.55	1	1	*	1	i	ı	ł	ı	ı	ı	i	1		ı	1
NH_{1} 0.97 *		NO_3	1.40	ī		0.25	ı	ı	1		•	1	1	ī	i		ı	1
TOTAL-N 1.65 - 1.65 1.65		vitu.	0.97	ı	ı	*	. •	ı	1	1	1	1	l	t	1		1	1
1.89 0.14	7-6	TOTAL-N	1.65	ı	1	1.65	ı	1	1	ı	ī	1	 I	ı	ı		ı	i
0,19 0,28		NO	1.89	ı	ı	0.14	1	1	1.	i	ı	ı	ı		i		t	ı
		NH ₁₄	0.19	1	. 1	0.28	ı	ı	1 -	1	ı	. 1	ı	ī	1		1	1

									DIOT NU	NUMBER							
			2 (200 lb,	3 (A)		1 5	6 (800)	/A) 7	8	9	10 11 (500 1b/A)	11 b/A)	15	13	14 15 (Control)	15 rol)	16
DATE																	
7-13	TOTAL-N	0.63	1	1	1.10	t	ı	ı	ı	1	ŧ	•	1	ī	ı		Î
	NO ₃	*	1.	1 ,	*	ļ	ı	I.	1	1	t		1	1	1		1
	hHN	*	ī		0.0	ı	ı	1	t	1	 I	i	1	. 1	t	ı	ŧ
7=20b	TOTAL-N	i	1	1	*	1,	1	ı	ı	ŧ	ı		ı	t ,	1		ı
	NO ₃	1	ı	ı.	0.08	i	1	ı	1				1	i	1		1
	4HIN	I	1	. 1	.*	ı	. 1	1	ı	•	1		1	1	1		1
7-28	TOTAL-N	2.24	i	I	ı	ı	i	. t	ı	ı	ī		i	i			ı
	100	0.25	i .	1	i	1	i	1	·	1	i		ı	1	1		·
	$_{^{1}}^{NH_{4}}$	*	t	1	1	1	ī	. 1	1		. 1	. 1	I	1	- t		1
7-31	TOTAL-N	ı	1	1	0.49	ı	I .	1	1	ı	!			ī	1		1
	NO_3	ı	ı	1	*	ı	ï	1	I	i	ī			1	. 1		1
	vH ₄	1	1	i	*	· I	.1	1	1	ı	i			•	1		I
8-3	TOTAL-N	0.25	1 .	•	0.32	ı	0.76	1	1	ı	1		ı	0.37	ı		0.58
	NO_3	0.04	ı	1	0.08	i	40.0	1	, I	ı	ı		1	0.01	1		0.04
	NH ₄	0.0	ı	i	0.007	. 1	0.0		1	ī	1		t	0.023			*
8-10	TOTAL-N	0.19	ı	1	0.38	i	0.71	i	ı	ı	1	e I	0.79	0.71	1		0.59
	NO	7.5	ı	ı	0.07	ı	0.02	i	ı	ı	i	ı	0.04	0.14	ı		0.06
,	$_{ m H_{ m H}}$	*	i	1	*	ì	*	1	1	ı	. 1	ı	*	*	1		*

(Page 3)

Table 1 (continued)

									PLOT 1	TUMBER			. •				
			0	ادر	4	5	6	7	8	9	10	11	. 21	13	14	15	91
			(200 lb/A)	b/A)			(800 lb/A))/A)			(500 lb/A)	_b/A)			(Control	trol)	
						İ								1			
DATE																	
8-17 ^c	TOTAL-N	0.71	ī		0.34	ſ	ı	ı	ı	1	1			ı	1	i	i
	NO	8.0	ı	0.16	0.06	ı	1	1	f		1	i	ŧ	ı	i	i	1
•	hen f	*	ı		*	; I	1	ı	1	r	ı	ı	ı	1	1	. t	i
8-24 ^d	TOTAL-N	1.47	1	1	0.61	1	0.60	1	1	ı	ı	t	0.73	0.60	t	0.33	0.22
	ro ₂	2.38	i .	ı	0.47	ì	0.18	1	I	ī	i	t	0.23	0.21	1	0.13	0.12
	MH ₄	0.48	1	1	0.20	ı	0.02	i	1	i .	1.	1	0.0	*	t	0.0	0.0

¹⁼ indicates no water collected in lysimeter

^{*:} indicates insufficient volume of sample for analysis

^aDate of first NO₃ application -- June 27, 1972

 $^{^{\}mathrm{b}}$ te of second $^{\mathrm{NO}}_3$ application -- July 21, 1972

^cDate of third NO₃ application -- August 24, 1972

 $^{^{}m d}_{
m The}$ soil profile has been free of percolating soil water from 8-24 to 10-5.

INTRA-LABORATORY CORRESPOND LINCE

OAK RIDGE NATIONAL LABORATORY

October 25, 1972

To:

H. C. Francke

Subject:

Results of Forest Irrigation Project: Organic Matter Losses

from Forest Litter

Collections of forest floor litter were made prior to irrigation and ~ 3 weeks after the final treatment. The information to be gained from these data was two-fold: 1) litter comprises a significant pool of nitrogen and therefore is an essential component of a nitrogen budget and 2) if a significant amount of assimilatory denitrification occurred, litter organic matter (high energy carbon compounds) would represent the growth substrate and therefore a potential limiting factor to forest disposal.

Observations during the summer suggested that nitrate irrigation was accelerating decomposition. The data summarized in the attachment indicate approximately linear increases in percent organic matter loss for twig-branch and O2 material (partially decomposed litter). The lack of response in decay of intact leaf material (01) is to be expected since most activity here is the result of microfauna. The percent loss data for Ol material are corrected for the actual weight of the calcium nitrate added in irrigation. The gains in control and the 200 lb NO3 A-1 treatment represent transfer from the O₁ to O₂ litter compartments. Twig-branch decomposition was increased by 75% with addition of 800 lb, NO₃ A-1. Assuming a forest litter pool composed of 2.8 t A-1 Ol, 4 t A-1 OZ and 1 t A-1 twigbranch material, normal decay during the June-September interval would result in loss in 1.12 t A^{-1} Ol, a gain of 0.24 \hat{t} A^{-1} O2 and loss of 0.5 t A-1 twig-branch material or a net loss of organic matter of 1.38 t A-1. The addition of 200 lb NO3 A-1 did not affect total organic matter pool during this period (loss of 1.4 t A-1 with the slight increment due to accelerated loss of twig-branch litter). Addition of 500 lb NO3 A-1 increased total litter depletion to 2.4 t A-1 (74% increase over controls and 200 lb NO3 treatment). Addition of 800 lb NO3 A-1 resulted in total depletion of 2.9 t A-1 (115% increase).

Annual litter input of organic matter (leaf fall, etc.) ranges from 4 to 6 t A^{-1} yr⁻¹ and the forest litter compartment losses are in approximate equilibrium with this input--accumulation of litter is slow during a 500 year period of forest development. Our data are incomplete, but it is nonetheless apparent that substrate organic matter is the limiting resource to forest disposal. Extrapolation of observed decay to an annual basis, while extreme, serves to illustrate how organic matter acts as a limiting factor.

TREATMENT	Est. Annual Decay (t A-1 yr-1)	Compartment Turn- over Time (yr^{-1})
0	7.8/4.1	1.91
200 lb NO ₃	7.8/4.3	1.80
500 lb NO ₃	7.8/7.2	1.08
800 lb NO ₃	7.8/8.8	0.88

H. C. Francke Page 2 October 25, 1972

Estimates of decay, pool size and turnover time preliminary. Conversion to ash-free carbon equivalent will reduce these estimates of pool size and decay flux, but increase estimates of turnover time.

As annual decay increases, compartment turnover time decreases. An application rate of 500 lb NO₃ A-1 would result in complete removal of the forest litter in one year and would require an input of 7.2 t A-1 yr-1 (an amount greater than the forest vegetation can supply). An application of 200 lb NO₃ A-1 yr-1 is realistic (but certainly not the maximum rate possible). Turnover time is reduced 10% and total decay is within the range of expected litter input.

Forest disposal capacity is limited, but options are available to significantly increase disposal capacity if needed. Forest management operations (e.g. selective thinning) increase fallen branch material by at least an order of magnitude. Decay of this material responds rapidly to addition of nitrate (see attachment). Also, forest thinning can increase leaf production (20-30%) which eventually increases the amount of litter input available as substrate. The potential increases in disposal capacity available through coupled forest and waste management certainly merit our consideration in selection of disposal areas.

The data summarized thus far allow some comparison between agricultural and forest disposal. Our studies in other ESD projects indicate that forest soil microbial metabolism is only 0.10 as great as the metabolism of litter microbes. Agricultural systems lack a well developed litter layer; thus the two types of systems differ in assimilatory denitrification by as much as an order of magnitude. Accumulation of nitrogen in biomass is greater in the agricultural system. Intensive agricultural production ranges up to twice that of a forest (10 t A-1 yr-1 vs. 5-6 t A-1 yr-1). Therefore, I would estimate that forested land is at least five times as effective as agricultural land for nitrate disposal. Loblolly pine stands can produce 10 t A-1 yr-1 which further increases the differential in disposal capacity. The nitrate losses from corn fields following application of 400 kg NO₃-N ha-1 described to us by Sopper et al. at Penn State would appear to be unavoidable.

W. F. Harris


Attachment

cc: C. W. Francis

G. S. Henderson

D. E. Reichle

D. J. Nelson



Decay of forest floor organic matter components following spray irrigation of nitrate salts. Values are percent change of 01 (corrected for direct addition of salts), 02 and twig-branch material from conditions prior to irrigation (measurements were made on June 6, 1972). Irrigation was performed incrementally commencing on June 27 with the final application on August 24. Litter collections post-irrigation were made on September 11 or 18 days following final irrigation. Therefore, the responses summarized should be viewed as transitory and subject to further measurement in June 1973, one full year post treatment.

UCN-7721B MB 129 43 OAK RIDGE Y-12 PLANT INFO	DRMATION CONTROL FORM
DOCUMENT DESCRIPTION (Co	
Document No. Author's Telephor MS/ChR-503517/K-25 (0-8475)	
Unclassified Title: Environmental Nitrate Sar	
The effective and configuration of the configuratio	
Author(s) (Suzanne Sandberg)	
TYPE: Formal Report Informal Report Progress,	/Status Report Co-Op Report Thesis/Term Paper
Oral Presentation (identify meeting, sponsor, location, date):	
Journal Article (Identify Journal):	
Other (Specify):	
Document will be distributed at meeting No Yes	
)
	e)
DIVISION REVIEW AND APPROVAL	L (Completed By Requesting Division)
TECHNICAL CLASSIFICATION, REVIEW (Divisional Classification Representation	
Title(s): MCOSSIDE Abstract: NA	_
DOCUMENT: Level Melaschied Category NA	Signature Date
Saxa L. Welch 1/29/93	
Signature Date	Signature Date
THE REMAINDER OF THIS FORM TO BE COMPLE DISTRIB	
Internal Distribution	Distribution: UCN-7721B DOE F-1332.15 Document
External Distribution	Y-12 Central Files Y-12 RC Y-12 RC Y-12 RC
TID-4500 Category or Copies to O ANNOUNCED IN: ERA Atomindex (Available from NTIS)	STI TIO FILE
M-3679 Category	
ANNOUNCE IN: AWDR (Available from OSTI) ANC	R ————————————————————————————————————
Distribution Remarks: Chemrisk	•
Distribution Remarks: Mellina	
APPROVAL A	ND RELEASE
Date Received Date Initiated	^
1-29-93	Editor, Date
Z CLASSIFICATIONS:	1/29/93
Fitle(s): Abstract/A	Patent Office Date
DOCUMENT:	
Level U Category V ft	Other Date
Weapons Data No Sigma	Other Date
m. Theyen (2-0+93)	
Y-12 Classification Office Date	
APPROVED FOR: Declassification Release subject to u	se of the following admonitory markings and conditions:
Disclaimer Copyright Patent Caution Other	2/1/9.
	Technical Information Office / Deta
Conditions/Remarks:	Also -

Mailed

ChemRisk Document Request Transmittal Form This section to be completed by ChemRisk)
S So allows CEP
Division is requested to provide the following document
Address
Date of Request 1/11/93 Expected receipt of document 1/29/93
Title of requested document Environmental Nitrate Sampling Pragram
Document Number S 03528; S03526; S03524; S03522; S03517 Access Number of Document Date of Document Quly-Nov. 1972
Date of Document Quely-Nov. 1972
Access Number of Document
This section to be completed by Derivative Classifier) Derivative Classifier
Date release received from Dr. Quist
PUBLIC RELEASE STAMP attached to each copy of document (YES NO)
Date document sent to reproductionExpected Return
Delivered to DRC byDate
(This section to be completed by DRC)
Received by DRCDate
Processed

OAK RIDGE K-25 SITE DOCUMENT RELEASE FORM

\cap f h	Telephone No.	(510) 748-5643
Pivision		ChemRisk
Mailing Address		
Date by which release is required \$\frac{1\29\93}{\\$ Some documents require special review and the processing}\$		essing time is 5 working days. ger).
Note: Two copies of the document must generally be provided to the Classification and Informone copy of photos and videotapes is required. Documents that include photos must be	mation Control C	Office with this request. Only
Approval of request for Classification and Information Control Office to release document (departing and light). Signature: Date	artment head or	nigher):
DOCUMENT DESCRIPTION (to be completed by requeste	er)	
Document number S03528; S03526; S03524, S03522; So Document title Environmental Nitrate Sampling	Program	
	. 0	
Author(s) (indicate other divisions or organizations, if applicable) Frankle, H. C.	-	
Document type (See Doc. Prep. Guide, Chs. 1 and 2, for definitions of document types):		
	Abstract	☐ Drawing
☐ Formal Report ☐ Progress Report ☐ Internal Technical Data ☐ ☐ Administrative ☐ Correspondence ☐ Internal Technical Data ☐	Photo	Other Visuals
Journal Article (identify journal):		
Oral Presentation (identify meeting, sponsor, location, date):		
Will oral presentation be published in program, booklet, brochure, etc.? Yes Will copies of the oral presentation be distributed before. after. during tr	No O	Not Known No distribution will be made
Other (specify):		
Purpose of release		
Previously cleared documents containing similar information		
is copyrighted material contained in this document? (If present, attach release.) Yes Remarks	□ No	
CLASSIFICATION INFORMATION (to be obtained by	requester)	
Was the work reported in this document funded, in whole or in part, by a classified program	at Martin Mariet	ta Energy Systems, Inc.?
		:
☐ No ☐ Yes (Name of program:	Maria Mariawa	Energy Systems Inc ?
is the subject area of this document closely related to a prior or current classified program at	Martin Marietta	Elieldy Systems, me.
☐ No ☐ Yes Within the Department of Energy?		
Name or Description of applicable program(s)	<u> </u>	
Additional remarks		
		/
Derivative Classifier signature Washington	Date //Q	7/93

	DISTRIBUTION LIM	ITATIONS (if a	nv) (completed by requester)			
Durestricted, unlimited						
Distribution may be limited bec	ause this document conta	ains information	that is:			
☐ Unclassified Controlled Nuc		Applied Te		Export Controlled *		
Navai Nuclear Propulsion I		Gov't Conf	idential Commercial Information *	Proprietary		
Sensitive Nuclear Technology		☐ Small Busi	ness innovation Research *	Official Use Only		
☐ Safeguards Information *	79)	Cooperativ	re R&D Agreement *	☐ Other		
☐ Saleguards Information	* Generally identified by sponsor					
_						
Remarks:		<u> </u>				
	PATENT INF	ORMATION (c	ompleted by requester)			
			ı2 □ Yes □ No			
Does this document disclose						
If ves, list the patent significan	ice and identify page num	nper(s) and line	number(s) in the space immediately	following		
(or attach separate pages).						
				·		
DATENT SECTION ACTIO	ON (completed by Pater	t Section upor	n request by the Classification and	Information Control Office)		
PATERI SECTION AST.						
Document may be release	ed for publication		Document must be reviewed by DOE			
	Document contains pate	intable informa	tion and may not be released at this t	ime		
Remarks						
Patent Section Representativ	е		Date			
				A		
CLASSIFICATION AND IN	FORMATION CONTROL	OFFICE ACTI	ON (completed by Classification an	d Information Control Office)		
Classification Office	Not approved for release	(SEE DEIDW)	Approved for release wi	th changes (see below)		
Classification Office Action Taken:	Approved for release with			`f		
	Approved for release with	nout change				
	· · · · · · · · · · · · · · · · · · ·					
Classification Officer signature	re	<u>.</u>	Date			
Technical Information	Not approved for releas	se (see below)	Approved for release v	with changes (see below)		
Office Action Taken:	Approved for release w					
_		-		-		
<u>-</u>						
			Date			
Technical Information Office	r Signature		Date	1		
Send to OSTI?	□ No		Category Distribution:			